

Product datasheet for **RC231479**

TUT7 (NM_001185074) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TUT7 (NM_001185074) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TUT7
Synonyms:	PAPD6; TENT3B; ZCCHC6
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC231479 representing NM_001185074 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGGAGATACAGCAAAACCTTATTTCTGTAAGCGCACTAAAGACCGGGGACTATGGATGATGATGACT
TCAGAAGGGGTACCCCCAACAAGATTATTTAATAATAGATGACCATGCTAAAGGCCATGGCAGTAAAT
GGAAAAGGGCCTTCAAAAAAGAAGATAACACCAGGGAATATGGGAATACCCCCAGAAAAGGACCATGT
GCTGTTTCCAGCAATCCATATGCATTTAAAAACCAATCTACAGTCAACCCGCTTGGATGAATGACAGCC
ACAAAGATCAGAGTAAGAGATGGCTGTCTGATGAACATACTGGTAATTCAGACAAGTGGAGAGAATTCAA
ACCTGGACCTAGAATTCCTGTTATAAACCGACAAAGAAAAGACTCCTTTCAAGAAAATGAAGATGGTTAT
AGGTGGCAAGACACAAGAGGCTGCAGAAGTGAAGACGACTGTTTCATAAAGACCTAACAAAGCCTAGAAA
CCACGTCAGAAATGGAAGCAGGAAGTCTGAAAACAAGAAGCAGAGGTCCAGACCTAGGAAGCCACGGAA
GACTAGAAATGAGGAAAATGAGCAGGATGGAGACTTGGAAAGCCCTGTGATCGATGAGTCTGTACTTTCA
ACGAAGGAGCTGCTAGGCTTACAGCAGGCTGAGGAGAGACTGAAGAGAGACTGCATTGACAGGCTAAAAA
GGCGACCACGAACTACCTACAGCAAAGTACCTGCAGACTCTGTGATGTTTTAATTGAATCCATTGC
ATTTGCCCATAGCATATCAAGGAAAAGAGGCACAAGAAAACATTAAGGAGAAGCAAGAGGAAGAGTTG
CTCACTACGTTACCCCCACCAACACCTCCCAGATAAATGCAGTTGGCATTGCCATTGACAAAGTGGTAC
AGGAATTTGGCTTACACAATGAGAAGTGGAAACAGAGGCTGGAAATTAACGTATCATGGAAAATGTGTT
CCAACACAAGTTACCAGATTGTTCCCTAAGATTATATGGGTATCCTGTAGCAGATTGGGTTTCAAAAAT
TCGGATGTAAACATTGACATCCAGTTTCCAGCCATTATTGAAGGATTCTCATTAAAGCAAACTAGGGAATT
TCAACCTTCAAGACATTGAAAAAGATGTTGTGATCTGGGAACATACTGACAGTGTGCAGGGGACACAGG
CATAACAAAAGAAGAGGCACCAAGAGAAACGCCGATTAAAGGGGACAGGTGTCATTAAATATTGGATGTG
AAACACCAGCCTTCAGTACCAGTTGGGCAGCTCTGGGTGGAATTGCTGCGGTTCTATGCTTTAGAATTTA
ATTTGGCTGATTTAGTGATAAGTATTCGTGTCAAAGAATTGGTATCTCGGAATTGAAGGATTGGCCCAA
AAAGCGCATTGCCATTGAAGATCCCTACTCTGTAAAAGAAATGTGGCAAGAACCCTAAATAGTCAACCT



[View online »](#)

GTGTTTGAATATATACTTCATTGTTTAAGGACAACATACAAGTATTTTGCTCTTCCACACAAAATTACAA
 AATCCAGCCTTCTAAAGCCTCTGAATGCAATTACATGTATTTGAGAACATTCTAAAGAAGTAATAAATCA
 TCATCCAGATGTACAAACAAAAGATGATAAGCTCAAAAACCTCAGTTTTGGCCCAAGGTCCTGGTGCTACC
 AGTTCAGCTGCAAATACCTGTAAGGTACAGCCACTTACTCTTAAAGAGACTGCTGAAAGTTTTGGAAGCC
 CACCAAAAGAAGAAATGGGAAATGAACACATCAGTGTCCACCCTGAAAACCTCAGACTGTATCCAAGCAGA
 TGTTAACTCTGATGATTACAAGGGTGATAAAGTATACCATCCAGAAACAGGAAGGAAAAACGAGAAAGAG
 AAAGTTGGAAGGAAGGGCAAGCATCTGTTGACTGTTGATCAGAAACGTGGAGAGCATGTTGTCTGTGGCA
 GCACACGTAATAATGAGTCAGAGAGCACTTTGGATTTAGAAGGCTTCCAAAATCCCACAGCTAAAGAGTG
 TGAGGGACTTGCCACTTTAGATAACAAGGCTGATCTTGATGGAGAAAGTACAGAAGGTACTGAGGAACTA
 GAAGACTCTCTAAACCACTTTACCCACTCAGTACAGGGCCAGACATCAGAAATGATTCCCTCTGATGAAG
 AGGAGGAGGACGACGAAGAAGAGGAGGAGGAAGAAGAACCTAGGCTCACCATTAAACCAAGGGAAGATGA
 AGATGGCATGGCTAATGAAGATGAGTTAGACAACACCTACACTGGGTGAGGGGATGAGGACGCCCTATCT
 GAAGAGGATGATGAGTTAGGCGAAGCTGCTAAGTATGAAGACGTGAAAGAATGTGAAAAACATGTAGAAA
 GAGCTCTCCTAGTGAACCTAATAAAATAAGTCTCAAGGAAGAAAATGTATGTGAAGAAAAAATTCACC
 TGTGGATCAGTCTGATTTTTTTTATGAATTCAGTAACTTATCTTACCAAAGGCAAGGGATTGGACTGT
 GTCAGAACTATTGAAGAATTAGCAAGAGTCTCAGAAAACATTACAGGTCTGAGAAACATCTTACCTATTA
 CAACAGCAAAGGTGCCAATTGTGAAGTTCTTCCATTTGAGAAGTGGTCTGGAAGTAGATATCAGTTTGTA
 TAACACATTGGCCCTTCATAACACAAGGCTTTTATCTGCTTATTCGCCATTGATCCCAGAGTGAAGTAT
 TTGTGCTATACCATGAAAGTATTTACAAAGATGTGTGATATTGGTGATGCATCTAGAGGCAGCTTATCAT
 CGTATGCATATACTCTTATGGTGCTATATTTTCTCCAGCAGAGGAATCCACCAGTCATTCCTGTCCTTCA
 AGAGATATACAAAGGTGAAAAGAAACCTGAAATATTTGTTGATGGCTGGAATATTTATTTTTTGTCAA
 ATAGATGAACTGCCTACCTATTGGTCAGAATGTGGAAGAAATACAGAATCTGTTGGGCAGTTATGGTTGG
 GCCTTCTTCGTTTCTACACAGAGGAATTTGATTTTAAAGAACATGTTATTAGCATCAGGAGAAAAAGTCT
 GCTTACAACCTTTTAAGAAACAGTGGACCTCAAAATACATTGTTATTGAAGATCCCTTTGATTTGAATCAT
 AATCTTGAGCTGGATTATCAAGGAAAATGACAAATTTTATAATGAAGGCTTTTATCAATGGTAGAAGAG
 TATTTGGTATTCTGTCAAGGGATTTCCAAAGGACTACCCCTCAAAAATGGAATACTTTTTTGTCCAGA
 TGTGTTAACTGAAGGAGAGCTGGCCCCAATGATAGATGTTGTCGAATTTGTGGAAGAAATCGGACACTTC
 ATGAAGGACTGTCCTATGAGGAGAAAAGTAAGACGGCGGCGAGATCAGGAAGATGCCCTGAACCAAGAT
 ACCCTGAGAACAAGGAAAAAGCAAGAGGACAAAGAAATTCACAACAAGTACACAGAAAGGGAGGT
 GTCAACAAAAGAAGATAAGCCCATACAGTGCACACCTCAGAAAGCCAAGCCAATGCGGGCAGCTGCTGAC
 CTGGGGAGGGAGAAGATCCTCAGGCCACCAGTAGAAAAATGGAAGAGACAGGATGACAAAGACTTAAGAG
 AAAAACGTTGTTTTATTTGTGGAAGAGAAGGGCACATTAAGGAAGGATGCCACAGTTTAAAGGCTCTTC
 AGGTAGCCTTTCAGTAAATATATGACTCAGGGAAGGCTCAGCGAAGAGGACCCAGCAGGAATCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231479 representing NM_001185074
Red=Cloning site Green=Tags(s)


MGDTAKPYFVKRTKDRGTMDDDDFRRGHPQQDYLIIDDHAKGHGSKMEKGLQKKKITPGNYGNTPRKGPC
AVSSNPYAFKNPIYSQPAWMNDSHKDQSKRWLSDEHTGNSDNWREFKPGPRIPVINRQRKDSFQENEDGY
RWQDTRGCRTVRRLFKDLTSLETTSEMEAGSPENKKQRSRPRKPRKTRNEENEQDGLGPGVIDESVLS
TKELLGLQQAERLKRDCIDRLKRRPRNYPTAKYTCRLCDVLIIESIAFAHKHIKEKRHKKNIEKQEEEL
LTTLPPTPSQINAVGIAIDKVQVEFGLHNENLEQRLEIKRIMENVFQHKLPDCSLRLYGSSCSRLGFKN
SDVNIDIQFPAIIEGFSLSKLGNFNLQDIEKDVIWEHTDSAAGDTGITKEEAPRETPIKRGQVSLILDV
KHQPSVPVQQLWVELLRFYALEFNADLVISIRVKELVSRELKDWPKKRIAIEDPYSVKRNVARTLNSQP
VFEYILHCLRTTYKYFALPHKITSLLKPLNAITCISEHSKEVINHHPDVQTKDDKLNSVLAQGPAT
SSAANTCKVQPLTLKETAEFSGPPKEEMGNEHISVHPENSDCIQADVNSDDYKGDVYHPETGRKNEKE
KVGRKGKHLTVQKRGHEHVCGSTRNNESESTLDLEGFQNPATAKECEGLATLDNKADLDGESTEGTEEL
EDSLNHFTHSVQGTSEMIPSDEEEEDDEEEEEEPRLTINQREDEDGMANEDELNTYTGSDEEDALS
EEDDELGEAAKYEDVKECGKHVERALLVELNKISLKEENVCEEKNSPVDQSDFFYEF SKLIFTKGKGLDC
VRTIEELARVLRKHSGLRNILPITAKVPIVKFFHLRSGLEVDISLYNTLALHNTRLLSAYS AIDPRVKY
LCYTMKVFTKMCDIGDASRGLSSAYTLMVLYFLQQRNPPVIPVLQEIYKGEKKPEIFVDGWNIIYFFDQ
IDELPTYWSECGNTESVQWLGLLRFYTEEDFKEHVISIRRKSLTTFKKQWTSKYIVIEDPFDLNLH
NLGAGLSRKMTNFIKAFINGRRVFGIPVKGFDPKDYPSKMEYFFDPDVLTEGELAPNDRCCRICGKIGHF
MKDCPMRRKVRRRRDQEDALNQYPENKEKRSKEDKEIHNKYTEREVSTKEDKPIQCTPQKAKPMRAAAD
LGREKILRPPVEKWKQDDKDLREKRCFCGREGHKKECPQFKGSSGSLSSKMYTQGKASAKRTQQES

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

Sgfl-MluI

Cloning Scheme:




ACCN: NM_001185074

ORF Size: 3777 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	1. Centrifuge at 5,000xg for 5min. 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. 3. Close the tube and incubate for 10 minutes at room temperature. 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
Note:	Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.
RefSeq:	NM_001185074.2
RefSeq ORF:	3780 bp
Locus ID:	79670
UniProt ID:	Q5VYS8
Cytogenetics:	9q21.33
MW:	145.1 kDa

Gene Summary:

Uridyltransferase that mediates the terminal uridylation of mRNAs with short (less than 25 nucleotides) poly(A) tails, hence facilitating global mRNA decay (PubMed:19703396, PubMed:25480299). Essential for both oocyte maturation and fertility. Through 3' terminal uridylation of mRNA, sculpts, with TUT7, the maternal transcriptome by eliminating transcripts during oocyte growth (By similarity). Involved in microRNA (miRNA)-induced gene silencing through uridylation of deadenylated miRNA targets (PubMed:25480299). Also functions as an integral regulator of microRNA biogenesis using 3 different uridylation mechanisms (PubMed:25979828). Acts as a suppressor of miRNA biogenesis by mediating the terminal uridylation of some miRNA precursors, including that of let-7 (pre-let-7). Uridylated pre-let-7 RNA is not processed by Dicer and undergo degradation. Pre-let-7 uridylation is strongly enhanced in the presence of LIN28A (PubMed:22898984). In the absence of LIN28A, TUT7 and TUT4 monouridylate group II pre-miRNAs, which includes most of pre-let7 members, that shapes an optimal 3' end overhang for efficient processing (PubMed:25979828, PubMed:28671666). Add oligo-U tails to truncated pre-miRNAs with a 5' overhang which may promote rapid degradation of non-functional pre-miRNA species (PubMed:25979828). Does not play a role in replication-dependent histone mRNA degradation (PubMed:18172165). Due to functional redundancy between TUT4 and TUT7, the identification of the specific role of each of these proteins is difficult (PubMed:25979828, PubMed:25480299, PubMed:19703396, PubMed:22898984, PubMed:18172165, PubMed:28671666). TUT4 and TUT7 restrict retrotransposition of long interspersed element-1 (LINE-1) in cooperation with MOV10 counteracting the RNA chaperone activity of L1RE1. TUT7 uridylates LINE-1 mRNAs in the cytoplasm which inhibits initiation of reverse transcription once in the nucleus, whereas uridylation by TUT4 destabilizes mRNAs in cytoplasmic ribonucleoprotein granules (PubMed:30122351).[UniProtKB/Swiss-Prot Function]

Product images:


Circular map for RC231479