

Product datasheet for RC231565

TOR2A (NM 001252023) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: TOR2A (NM_001252023) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: TOR2A
Synonyms: TORP1

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC231565 representing NM_001252023
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GCTGGCCCAGCTGGGCCTGGAGCCAAGGGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231565 representing NM_001252023

Red=Cloning site Green=Tags(s)

 $\verb|MDKMPPGLMEVLRPFLGSSWVVYGTNYRKAIFIFIRWLLKLGHHGRAPPRRSGALPPAPAAPRPALRAQR|$

 ${\sf AGPAGPGAKG}$

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001252023

ORF Size: 240 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



TOR2A (NM_001252023) Human Tagged ORF Clone - RC231565

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001252023.2

 RefSeq Size:
 1194 bp

 RefSeq ORF:
 243 bp

 Locus ID:
 27433

 UniProt ID:
 Q5|U69

 Cytogenetics:
 9q34.11

Protein Families: Secreted Protein, Transmembrane

MW: 9.1 kDa

Gene Summary: This gene encodes a member of the AAA family of adenosine triphosphatases with similarity

to Clp proteases and heat shock proteins. Alternative splicing at this locus results in the translation of multiple isoforms of the encoded protein, some of which contain salusin peptides in the C-terminal region. These peptides may play roles in hypotension, myocardial growth and the induction of mitogenesis, and may also be involved in the pathogenesis of atherosclerosis. The antimicrobial peptide salusin-beta has antibacterial activity. [provided by

RefSeq, Nov 2014]