

Product datasheet for RC231594

CRIP2 (NM 001270841) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: CRIP2 (NM_001270841) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: CRIP2

Synonyms: CRIP; CRP2; ESP1

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC231594 representing NM_001270841
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GCGGTGGGCAGCTACATCTATGACCGGGACCCCGAAGGCAAGGTCCAGCCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231594 representing NM_001270841

Red=Cloning site Green=Tags(s)

 ${\tt MASKCPKCDKTVYFAEKVTSLGKDWHRPCLRCERCGKTLTPGGHAEHDGQPYCHKPCYGILFGPKGVNTG}$

AVGSYIYDRDPEGKVQP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001270841

ORF Size: 261 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001270841.2</u>



 RefSeq Size:
 884 bp

 RefSeq ORF:
 264 bp

 Locus ID:
 1397

 UniProt ID:
 P52943

 Cytogenetics:
 14q32.33


 MW:
 10 kDa

Gene Summary: This gene encodes a putative transcription factor with two LIM zinc-binding domains. The

encoded protein may participate in the differentiation of smooth muscle tissue. Alternative

splicing results in multiple transcript variants. [provided by RefSeq, Aug 2012]

Product images:



Circular map for RC231594