

## Product datasheet for **RC231600**

### **CXADR (NM\_001207065) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** CXADR (NM\_001207065) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** CXADR  
**Synonyms:** CAR; CAR4/6; HCAR  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC231600 representing NM\_001207065  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

**ATGGCGCTCTGCTGTGCTTCGTGCTCCTGTGCGGAGTAGTGGATTCGCCAGAAGTTTGAGTATCACTA**  
**CTCCTGAAGAGATGATTGAAAAAGCCAAAGGGGAACTGCCTATCTGCCATGCAAATTTACGCTTAGTCC**  
**CGAAGACCAGGGACCGCTGGACATCGAGTGGCTGATATCACCAGCTGATAATCAGAAGGTGGATCAAGTG**  
**GGAAGATGTGCCACCTCAAAGAGCCGTACGTCCACTGCCAGAAGCTACATCGGCAG**

**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT**  
**ACAAGGATGACGACGATAAGGTTTAA**

**Protein Sequence:** >RC231600 representing NM\_001207065  
Red=Cloning site Green=Tags(s)

MALLLCFVLLCGVDFARSLSITTPEEMIEKAKGETAYLPCKFTLSPEDQGPLDIEWLISPADNQKVDQV  
GRCATSKEPYVHCQKLHRQ

**TRTRPLEQKLISEEDLAANDILDYKDDDDKV**

**Restriction Sites:** Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001207065

ORF Size: 267 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001207065.2</a>
<b>RefSeq Size:</b>	5121 bp
<b>RefSeq ORF:</b>	270 bp
<b>Locus ID:</b>	1525
<b>UniProt ID:</b>	<a href="#">P78310</a>
<b>Cytogenetics:</b>	21q21.1
<b>Protein Families:</b>	Druggable Genome, Stem cell - Pluripotency, Transmembrane
<b>Protein Pathways:</b>	Viral myocarditis
<b>MW:</b>	10.4 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a type I membrane receptor for group B coxsackieviruses and subgroup C adenoviruses. Several transcript variants encoding different isoforms have been found for this gene. Pseudogenes of this gene are found on chromosomes 15, 18, and 21. [provided by RefSeq, May 2011]