

Product datasheet for RC231645

THTPA (NM 001256062) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: THTPA (NM_001256062) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: THTPA

Synonyms: THTP; THTPASE

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC231645 representing NM_001256062
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGGTGTGCCTGCACAGGAGACAGCACCAGCCAAGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231645 representing NM_001256062

Red=Cloning site Green=Tags(s)

MAQGLIEVERKFLPGPGTEERLQELGGTLEYRVTFRDTYYDTPELSLMQADHWLRRREDSGWELKCPGAA

GVLGPHTEYKELTAEPTIVAQLCKVCLHRRQHQPS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001256062

ORF Size: 315 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



THTPA (NM_001256062) Human Tagged ORF Clone - RC231645

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001256062.2</u>, <u>NP 001242991.1</u>

 RefSeq Size:
 1963 bp

 RefSeq ORF:
 318 bp

 Locus ID:
 79178

 UniProt ID:
 Q9BU02

 Cytogenetics:
 14q11.2

Protein Pathways: Metabolic pathways, Thiamine metabolism

MW: 12.5 kDa

Gene Summary: This gene encodes an enzyme which catalyzes the biosynthesis of thiamine disphophate

(vitamin B1) by hydrolysis of thiamine triphosphate. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Dec 2011]