

## **Product datasheet for RC231679**

## TRAPPC6A (NM 001270893) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: TRAPPC6A (NM\_001270893) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: TRAPPC6A

Synonyms: TRS33

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC231679 representing NM\_001270893

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231679 representing NM\_001270893

Red=Cloning site Green=Tags(s)

MADTVLFEFLHTEMVAELWAHDPDPGPGAAPGDAGLQGGAGCPQVLVQRPVGGGVPEADGQPAHQSPGDL

RPARQQLPPPPDGLWPAVSGGSTQVPGLHLRPPARRPLYPGH

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-Mlul



**OriGene Technologies, Inc.** 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com



## **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001270893

ORF Size: 339 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**Note:** Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

**RefSeq:** NM 001270893.2

RefSeq Size: 728 bp




RefSeq ORF: 342 bp Locus ID: 79090 **UniProt ID:** O75865 Cytogenetics: 19q13.32 MW: 12.1 kDa

**Gene Summary:** This gene encodes a component of the trafficking protein particle complex, which tethers

> transport vesicles to the cis-Golgi membrane. Loss of expression of the related gene in mouse affects coat and eye pigmentation, suggesting that the encoded protein may be involved in melanosome biogenesis. Alternatively spliced transcript variants encoding multiple isoforms

have been observed for this gene. [provided by RefSeq, Aug 2012]

## **Product images:**



Circular map for RC231679