

Product datasheet for RC231712

UBE2L3 (NM_001256356) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: UBE2L3 (NM_001256356) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: UBE2L3
Synonyms: E2-F1; L-UBC; UBCH7; UbcM4
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC231712 representing NM_001256356
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGGCGGCCAGCAGGAGGCTGATGAAGGACAACCCTCCATATGATAAGGGAGCCTTCAGAATCGAAATCA
ACTTTCCAGCAGAGTACCCATTCAAACCACCGAAGATCACATTTAAAACAAGATCTATCACCCAAACAT
CGACGAAAAGGGCAGGTCTGTCTGCCAGTAATTAGTGCCGAAAAGTGGAAAGCCAGCAACCAAAACCGAC
CAAGTAATCCAGTCCCTCATAGCACTGGTGAATGACCCCGCCTGAGCACCCGCTTCGGGCTGACCTAG
CTGAAGAATACTCTAAGGACCGTAAAAAATTCTGTAAGAATGCTGAAGAGTTTACAAAGAAATATGGGGA
AAAGCGACCTGTGGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231712 representing NM_001256356
Red=Cloning site Green=Tags(s)
MAASRRLMKDNPPYDKGAFRIEINFPAEYFPKPKITFKTKIYHPNIDEKGQVCLPVISAENWKPATKTD
QVIQSLIALVNDPQPEHPLRADLAEYYSKDRKKFCKNAEEFTKKYGEKRPVD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:


ACCN: NM_001256356

ORF Size: 366 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001256356.1](#), [NP_001243285.1](#)

RefSeq Size: 2932 bp

RefSeq ORF: 369 bp

Locus ID: 7332

UniProt ID: [P68036](#)


Cytogenetics: 22q11.21

Protein Pathways: Parkinson's disease, Ubiquitin mediated proteolysis

MW: 14.6 kDa

Gene Summary: The modification of proteins with ubiquitin is an important cellular mechanism for targeting abnormal or short-lived proteins for degradation. Ubiquitination involves at least three classes of enzymes: ubiquitin-activating enzymes (E1s), ubiquitin-conjugating enzymes (E2s) and ubiquitin-protein ligases (E3s). This gene encodes a member of the E2 ubiquitin-conjugating enzyme family. This enzyme is demonstrated to participate in the ubiquitination of p53, c-Fos, and the NF-κB precursor p105 in vitro. Several alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Sep 2009]

Product images:



Circular map for RC231712