

# Product datasheet for RC231782

## RAP1B (NM\_001251922) Human Tagged ORF Clone

### **Product data:**

#### OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


i i oudet data.	
Product Type:	Expression Plasmids
Product Name:	RAP1B (NM_001251922) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	RAP1B
Synonyms:	K-REV; RAL1B
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	<pre>&gt;RC231782 representing NM_001251922 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGCGTGAGTATAAGCTAGTCGTTCTTGGCTCAGGAGGCGTTGGAAAGTCTGCTTTGACTGTACAATTTG TTCAAGGAATTTTTGTAGAAAAATACGATCCTACGATAGAAGATTCTTATAGAAAGCAAGTTGAAGTAGA TGCACAACAGTGTATGCTTGAAATCTTGGATACTGCAGGAACGGTTCCAATGATTCTTGTTGGTAATAAG TGTGACTTGGAAGATGAAAGAGTTGTAGGGAAGGAACAAGGTCAAAATCTAGCAAGACAATGGAACAACT GTGCATTCTTAGAATCTTCTGCAAAATCAAAAATAAATGTTAATGAGATCTTTTATGACCTAGTGCGGCA AATTAACAGAAAAACTCCAGTGCCTGGGAAGGCTCGCAAAAAGTCATCATGTCAGCTGCTT
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG <b>GTTTAA</b>
Protein Sequence:	<pre>&gt;RC231782 representing NM_001251922 Red=Cloning site Green=Tags(s)</pre>
	MREYKLVVLGSGGVGKSALTVQFVQGIFVEKYDPTIEDSYRKQVEVDAQQCMLEILDTAGTVPMILVGNK CDLEDERVVGKEQGQNLARQWNNCAFLESSAKSKINVNEIFYDLVRQINRKTPVPGKARKKSSCQLL
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US



#### **Cloning Scheme:**




\* The last codon before the Stop codon of the ORF

#### Plasmid Map:

**ORF Size:** 

**OTI Disclaimer:** 



ACCN:	NM_001251922
ACCN:	NM_001251922

#### 411 bp

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	(NM_001251922) Human Tagged ORF Clone – RC231782
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol> <li>Centrifuge at 5,000xg for 5min.</li> <li>Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li> <li>Close the tube and incubate for 10 minutes at room temperature.</li> <li>Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li> <li>Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li> </ol>
RefSeq:	<u>NM 001251922.2</u>
RefSeq Size:	2022 bp
RefSeq ORF:	414 bp
Locus ID:	5908
UniProt ID:	<u>P61224</u>
Cytogenetics:	12q15
Protein Families:	Druggable Genome
Protein Pathways:	Chemokine signaling pathway, Focal adhesion, Leukocyte transendothelial migration, Long- term potentiation, MAPK signaling pathway, Neurotrophin signaling pathway, Renal cell carcinoma
MW:	15.8 kDa
Gene Summary:	This gene encodes a member of the RAS-like small GTP-binding protein superfamily. Members of this family regulate multiple cellular processes including cell adhesion and growth and differentiation. This protein localizes to cellular membranes and has been shown to regulate integrin-mediated cell signaling. This protein also plays a role in regulating outside-in signaling in platelets. Alternate splicing results in multiple transcript variants. Pseudogenes of this gene are found on chromosomes 3, 5, 6 and 9. [provided by RefSeq, Oct 2011]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US