

# **Product datasheet for RC231869**

## 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436

OriGene Technologies, Inc.

Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

## FGF1 (NM\_001257206) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

**Product Name:** FGF1 (NM\_001257206) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: FGF1

Synonyms: AFGF; ECGF; ECGF-beta; ECGFA; ECGFB; FGF-1; FGF-alpha; FGFA; GLIO703; HBGF-1; HBGF1

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC231869 representing NM\_001257206
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGCTGAAGGGGAAATCACCACCTTCACAGCCCTGACCGAGAAGTTTAATCTGCCTCCAGGGAATTACA
AGAAGCCCAAACTCCTCTACTGTAGCAACGGGGGCCACTTCCTGAGGATCCTTCCGGATGGCACAGTGGA
TGGGACAAGGGACAGGACCAGCACATTCAGCTGCAGCTCAGTGCGGAAAGCGTGGGGAGGTGTAT
ATAAAGAGTACCGAGACTGGCCAGTACTTGGCCATGGACACCGACGGGCTTTTATACGGCTCAACACCAA
ATGAGGAATGTTTGTTCCTGGAAAGGCTGGAGAGAACCATTACAACACCTATATATCCAAGAAGCATGC
AGAGAAGAATTGGTTTGTTGGCCTCAAGAAGAAGAATGGGAGCTGCAAACGCGGTCCTCGGACTCACTATGGC

CAGAAAGCAATCTTGTTTCTCCCCCTGCCAGTCTCTTCTGAT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231869 representing NM\_001257206

Red=Cloning site Green=Tags(s)

MAEGEITTFTALTEKFNLPPGNYKKPKLLYCSNGGHFLRILPDGTVDGTRDRSDQHIQLQLSAESVGEVY IKSTETGQYLAMDTDGLLYGSTPNEECLFLERLEENHYNTYISKKHAEKNWFVGLKKNGSCKRGPRTHYG

QKAILFLPLPVSSD

**TRTRPL**EQKLISEEDLAANDILDYKDDDDK**V** 


**Restriction Sites:** Sgfl-Mlul






#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

### Plasmid Map:



**ACCN:** NM\_001257206

ORF Size: 462 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

### FGF1 (NM\_001257206) Human Tagged ORF Clone - RC231869

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** <u>NM 001257206.2</u>

RefSeq Size: 4069 bp
RefSeq ORF: 465 bp
Locus ID: 2246
Cytogenetics: 5q31.3

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** MAPK signaling pathway, Melanoma, Pathways in cancer, Regulation of actin cytoskeleton

**MW:** 17.8 kDa

**Gene Summary:** The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family.

FGF family members possess broad mitogenic and cell survival activities, and are involved in

a variety of biological processes, including embryonic development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. This protein functions as a

modifier of endothelial cell migration and proliferation, as well as an angiogenic factor. It acts as a mitogen for a variety of mesoderm- and neuroectoderm-derived cells in vitro, thus is thought to be involved in organogenesis. Multiple alternatively spliced variants encoding

different isoforms have been described. [provided by RefSeq, Jan 2009]