

Product datasheet for RC231883

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

LMO1 (NM 001270428) Human Tagged ORF Clone

Product data:

E. coli Selection:

Product Type: Expression Plasmids

Product Name: LMO1 (NM_001270428) Human Tagged ORF Clone

Kanamycin (25 ug/mL)

Tag: Myc-DDK

Symbol: LMO1

Synonyms: RBTN1; RHOM1; TTG1

Vector: pCMV6-Entry (PS100001)

Cell Selection: Neomycin

ORF Nucleotide >RC231883 representing NM_001270428
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

 ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231883 representing NM_001270428

Red=Cloning site Green=Tags(s)

 ${\tt MVLDQEDGVPMLSVQPKGKQKGCAGCNRKIKDRYLLKALDKYWHEDCLKCACCDCRLGEVGSTLYTKANLICRRDYLRLFGTTGNCAACSKLIPAFEMVMRARDNVYHLDCFACQLCNQRFCVGDKFFLKNNMILCQMD}$

YEEGQLNGTFESQVQ

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001270428

ORF Size: 465 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

LMO1 (NM_001270428) Human Tagged ORF Clone - RC231883

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001270428.2</u>

 RefSeq Size:
 983 bp

 RefSeq ORF:
 468 bp

 Locus ID:
 4004

 UniProt ID:
 P25800

 Cytogenetics:
 11p15.4

Protein Families: Druggable Genome, Transcription Factors

MW: 18.1 kDa

Gene Summary: This locus encodes a transcriptional regulator that contains two cysteine-rich LIM domains

but lacks a DNA-binding domain. LIM domains may play a role in protein interactions; thus the encoded protein may regulate transcription by competitively binding to specific DNA-binding transcription factors. Alterations at this locus have been associated with acute lymphoblastic T-cell leukemia. Chromosomal rearrangements have been observed between this locus and at least two loci, the delta subunit of the T-cell antigen receptor gene and the LIM domain binding 1 gene. Alternatively spliced transcript variants have been described.

[provided by RefSeq, Jul 2012]