

Product datasheet for RC231912

GTF2H3 (NM 001271868) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: GTF2H3 (NM_001271868) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: GTF2H3

Synonyms: BTF2; P34; TFB4; TFIIH

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC231912 representing NM_001271868
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC231912 representing NM_001271868

Red=Cloning site Green=Tags(s)

MNKEVKDNQEMKSRILVIKAAEDSALQYMNFMNVIFAAQKQNILIDACVLDSDSGLLQQACDITGGLYLK VPOMPSLLQYLLWVFLPDQDQRSQLILPPPVHVDYRAACFCHRNLIEIGYVCSVCLSIFCNFSPICTTCE

TAFKISLPPVLKAKKKKLKVSA

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**

Restriction Sites: Sgfl-Mlul



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001271868

ORF Size: 486 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



Cytogenetics:

GTF2H3 (NM_001271868) Human Tagged ORF Clone - RC231912

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001271868.1</u>, <u>NP 001258797.1</u>

 RefSeq Size:
 3270 bp

 RefSeq ORF:
 489 bp

 Locus ID:
 2967

 UniProt ID:
 Q13889

Protein Families: Druggable Genome, Transcription Factors

12q24.31

Protein Pathways: Basal transcription factors, Nucleotide excision repair

MW: 18.7 kDa

Gene Summary: This gene encodes a member of the TFB4 family. The encoded protein is a subunit of the

core-TFIIH basal transcription factor and localizes to the nucleus. The encoded protein is involved in RNA transcription by RNA polymerase II and nucleotide excision repair and associates with the Cdk-activating kinase complex. Alternative splicing results in multiple transcript variants. A related pseudogene has been identified on chromosome 14. [provided

by RefSeq, Dec 2012]