

Product datasheet for RC232001

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

RPL17 (NM 001199340) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: RPL17 (NM_001199340) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: RPL17

Synonyms: L17; PD-1; RPL23

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC232001 ORF sequence

Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ATGGTTCGCTATTCACTTGACCCGGAGAACCCCACGAAATCATGCAAATCAAGAGGTTCCAATCTTCGTG
TTCACTTTAAGAACACTCGTGAAACTGCTCAGGCCATCAAGGGTATGCATATACGAAAAAGCCACGAAGTA
TCTGAAAGATGTCACTTTACAGAAACAGTGTGTACCATTCCGACGTTACAATGGTGGAGTTGGCAGGTGT
GCGCAGGCCAAGCAATGGGGCTGGACACAAGGTCGGTGGCCCAAAAAAGAGTGCTGAATTTTTGCTGCACA
TGCTTAAAAACGCAGAGAGTAATGCTGAACTTAAGGGTTTAGATTCTCTGGTCATTGAGCATAT
CCAAGTGAACAAAGCACCTAAGATGCGCCGCCGGACCTACAGAGCTCATGGTCGGATTAACCCATACATG
AGCTCTCCCTGCCACATTGAGATGATCCTTACGGAAAAGGAACAGATTGTTCCTAAACCAGAAGAGGAGG

TTGCCCAGAAGAAAAAGATATCCCAGAAGAAACTGAAGAAACAAAAACTTATGGCACGGGAG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC232001 protein sequence

Red=Cloning site Green=Tags(s)

MVRYSLDPENPTKSCKSRGSNLRVHFKNTRETAQAIKGMHIRKATKYLKDVTLQKQCVPFRRYNGGVGRC AQAKQWGWTQGRWPKKSAEFLLHMLKNAESNAELKGLDVDSLVIEHIQVNKAPKMRRRTYRAHGRINPYM

SSPCHIEMILTEKEQIVPKPEEEVAQKKKISQKKLKKQKLMARE

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6426 d07.zip







Restriction Sites:

Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001199340

ORF Size: 552 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001199340.2</u>

 RefSeq Size:
 834 bp

 RefSeq ORF:
 555 bp

 Locus ID:
 6139

 UniProt ID:
 P18621



Cytogenetics: 18q21.1

Protein Pathways: Ribosome MW: 21.4 kDa

Gene Summary: Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and

a large 60S subunit. Together these subunits are composed of 4 RNA species and


approximately 80 structurally distinct proteins. This gene encodes a ribosomal protein that is

a component of the 60S subunit. The protein belongs to the L22P family of ribosomal proteins. It is located in the cytoplasm. This gene has been referred to as rpL23 because the encoded protein shares amino acid identity with ribosomal protein L23 from Halobacterium marismortui; however, its official symbol is RPL17. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the

genome. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the neighboring downstream C18orf32

(chromosome 18 open reading frame 32) gene. [provided by RefSeq, Dec 2010]

Product images:



Circular map for RC232001