

Product datasheet for RC232087

ELOVL1 (NM_001256402) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn


Product Type:	Expression Plasmids
Product Name:	ELOVL1 (NM_001256402) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	ELOVL1
Synonyms:	CGI-88; IKSHD; Ssc1
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	<pre>>RC232087 representing NM_001256402 Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGTCGGGCTGGCTGAGCACCTATACCTGGCGCTGTGACCCTGTGGACTATTCCAACAGCCCTGAGGCAC TTAGGATGGTTCGGGTGGCCTGGCTCTTCCTCTTCTCCAAGTTCATTGAGCTGATGGACACAGTGATCTT TATTCTCCGAAAGAAAGACGGGCAGGTGACCTTCCTACATGTCTTCCATCACTCTGTGCTTCCCTGGAGC TGGTGGTGGGGGGGTAAAGATTGCCCCGGGAGGAATGGGCTCTTTCCATGCCATGATAAACTCTTCCGTGC ATGTCATAATGTACCTGTACTACGGATTATCTGCCTTTGGCCCTGTGGCACAACCCTACCTTTGGTGGAA AAAGCACATGACAGCCATTCAGGTGATCCAGTTTGTCCTGGTCTCACTGCACATCTCCCAGTACTACTTT ATGTCCAGCTGTAACTACCAGTACCCAGTCATTATTCACCTCATCTGGATGTATGGCACCATCTTCTCA TGCTGTTCTCCAACTTCTGGTATCACTCTTATACCAAGGGCAAGCGGCTGCCCCGTGCACTTCAGCAAAA TGGAGCTCCAGGTATTGCCCAGGTCAAGGCCAAC
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	<pre>>RC232087 representing NM_001256402 Red=Cloning site Green=Tags(s)</pre>
	MSGWLSTYTWRCDPVDYSNSPEALRMVRVAWLFLFSKFIELMDTVIFILRKKDGQVTFLHVFHHSVLPWS WWWGVKIAPGGMGSFHAMINSSVHVIMYLYYGLSAFGPVAQPYLWWKKHMTAIQLIQFVLVSLHISQYYF MSSCNYQYPVIIHLIWMYGTIFFMLFSNFWYHSYTKGKRLPRALQQNGAPGIAKVKAN
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Restriction Sites:	Sgfl-Mlul



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US




Cloning Scheme:



* The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN:	NM_001256402
ORF Size:	594 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

Second Se

Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001256402.2</u>
RefSeq Size:	1347 bp
RefSeq ORF:	597 bp
Locus ID:	64834
UniProt ID:	<u>Q9BW60</u>
Cytogenetics:	1p34.2
Protein Families:	Transmembrane
MW:	23.7 kDa
Gene Summary:	Catalyzes the first and rate-limiting reaction of the four reactions that constitute the long- chain fatty acids elongation cycle. This endoplasmic reticulum-bound enzymatic process allows the addition of 2 carbons to the chain of long- and very long-chain fatty acids (VLCFAs) per cycle. Condensing enzyme that exhibits activity toward saturated and monounsaturated acyl-CoA substrates, with the highest activity towards C22:0 acyl-CoA. May participate in the production of both saturated and monounsaturated VLCFAs of different chain lengths that

are involved in multiple biological processes as precursors of membrane lipids and lipid mediators. Important for saturated C24:0 and monounsaturated C24:1 sphingolipid synthesis.

Indirectly inhibits RPE65 via production of VLCFAs.[UniProtKB/Swiss-Prot Function]

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2022 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US