

## Product datasheet for **RC232169**

### CD16b (FCGR3B) (NM\_001271036) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** CD16b (FCGR3B) (NM\_001271036) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** FCGR3B  
**Synonyms:** CD16; CD16A; CD16b; FCG3; FCGR3; FCGR3A; FCR-10; FCRIII; FCRIIIb  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC232169 representing NM\_001271036  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGATCGCC**

ATGCGGACTGAAGATCTCCAAAGGCTGTGGTGTTCCTGGAGCCTCAATGGTACAGCGTGCTTGAGAAGG  
 ACAGTGTGACTCTGAAGTGCCAGGGAGCCTACTCCCCTGAGGACAATCCACACAGTGGTTTCACAAATGA  
 GAACCTCATCTCAAGCCAGGCCTCGAGCTACTTATTGACGCTGCCACAGTCAACGACAGTGGAGAGTAC  
 AGGTGCCAGACAAACCTCTCCACCCTCAGTGACCCGGTGCAGCTAGAAGTCCATATCGGCTGGCTGTTGC  
 TCCAGGCCCTCGGTGGGTGTTCAAGGAGGAAGACCCTATTCACCTGAGGTGTACAGCTGGAAGAACAC  
 TGCTCTGCATAAGGTCACATATTTACAGAATGGCAAAGACAGGAAGTATTTTCATCATAATTCTGACTTC  
 CACATTCCAAAGCCACACTCAAAGATAGCGGCTCCTACTTCTGCAGGGGCTTGTGGGAGTAAAAATG  
 TGTCTTCAGAGACTGTGAACATCACCATCACTCAAGGTTTGGCAGTGTCAACCATCTCATCTCTCC  
 ACCTGGGTACCAAGTCTCTTTCTGCTTGGTGATGGTACTCCTTTTGCAGTGGACACAGGACTATATTT  
 TCTGTGAAGACAAACATT

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC232169 representing NM\_001271036  
Red=Cloning site Green=Tags(s)

MRTEDLPKAVVFLEPQWYSVLEKDSVTLKCOGAYSPEDNSTQWFHNNENLISSQASSYFIDAATVNDSGEY  
 RCQTNLSTLSDPVQLEVHIGWLLLQAPRWVFKEEDPIHLRCHSWKNTALHKVITYLQNGKDRKYFHHNSDF  
 HIPKATLKDSGSYFCRGLVGSKNVSSSETVNITITQGLAVSTISSFSPPGYQVSFCLVMVLLFAVDTGLYF  
 SVKTNI


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001271036

**ORF Size:** 648 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001271036.1</a> , <a href="#">NP_001257965.1</a>
<b>RefSeq Size:</b>	2260 bp
<b>RefSeq ORF:</b>	651 bp
<b>Locus ID:</b>	2215
<b>UniProt ID:</b>	<a href="#">O75015</a>
<b>Cytogenetics:</b>	1q23.3
<b>Protein Families:</b>	ES Cell Differentiation/IPS, Secreted Protein, Transmembrane
<b>Protein Pathways:</b>	Natural killer cell mediated cytotoxicity, Systemic lupus erythematosus
<b>MW:</b>	24.9 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a low affinity receptor for the Fc region of gamma immunoglobulins (IgG). The encoded protein acts as a monomer and can bind either monomeric or aggregated IgG. This gene may function to capture immune complexes in the peripheral circulation. Several transcript variants encoding different isoforms have been found for this gene. A highly-similar gene encoding a related protein is also found on chromosome 1. [provided by RefSeq, Aug 2012]