

Product datasheet for **RC232177**

NCOA7 (NM_001199622) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	NCOA7 (NM_001199622) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NCOA7
Synonyms:	dj187j11.3; ERAP140; ESNA1; Nbla00052; Nbla10993; NCOA7-AS; TLDC4
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC232177 representing NM_001199622 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGAGAGGCCAAAGATTACCTTGGACATCCAGATTTTCTATTGTGCCAGACCTGACGAAGAGCCTTTTG
TGAAGATCACTACTGTTGAAGAGGCAAAGCGCAGGAAGAGCACATGCAGCTACTATGAAGACGAGGACGA
AGAGGTGCTGCCTGTCTACGGCCACAGCGCTCCTGGAGAATATGCACATCGAGCAGCTGGCCGA
CGCCTTCTGCAAGGGTCAAGGGTATCCATGGAGACTGGCCTATAGCACGTTAGAGCACGGACCAGCT
TAAAGACGCTCTACGGAAATCGGCATCACTAGACAGTCTGTCTATTGGTCATCAAAGATATGGATAA
TCAGATTTTGGAGCATATGCAACTCATCTTTCAAGTTCAGTGACCACTATTATGGCACAGGCGAACT
TTTCTCTACACATTACGCCCTATTTAAAGTCTTTAAGTGGAGTGGAGAAAATTCATACTTTATCAATG
GAGACATAAGTCTTTAGAACTTGGTGGTGGAGGGGACGATTTGGTTTATGGCTAGATGCTGATTTATA
CCACGGACGAAGCAACTTTGCAGCACTTCAATAATGATATTCTTTCCAAAAGGAAGACTTCATAGTT
CAGGATCTGGAGGTGTGGCATTGAT

ACGCGTACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001199622.2](#)

RefSeq Size: 4052 bp

RefSeq ORF: 660 bp

Locus ID: 135112

UniProt ID: [Q8NI08](#)


Cytogenetics: 6q22.31-q22.32

Protein Families: Druggable Genome

MW: 25.3 kDa

Gene Summary: Enhances the transcriptional activities of several nuclear receptors. Involved in the coactivation of different nuclear receptors, such as ESR1, THRB, PPARG and RARA. [UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC232177