

Product datasheet for RC232487

Glycerol 3 Phosphate Dehydrogenase (GPD1) (NM_001257199) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Glycerol 3 Phosphate Dehydrogenase (GPD1) (NM_001257199) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	GPD1
Synonyms:	GPD-C; GPDH-C; HTGTI
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC232487 representing NM_001257199 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGGCTAGCAAGAAAGTCTGCATTGTAGGCTCCGGAACTGGGGCTCAGCCATCGCCAAGATCGTGGGTG
GCAATGCAGCCCAGCTGGCACAGTTTGACCCACGGGTGACCATGTGGGTATTTGAGGAAGACATTGGAGG
CAAAAAGCTGACTGAGATCATCAACACGCAGCATGAGAATGTCAAATACCTGCCAGGGCACAAGTTGCC
CCAAATGTGTTTCATCGGCAAGATCTGTGACCAGCTCAAGGGCCATCTGAAGGCAAACGCCACTGGCATAT
CTCTTATTAAGGGGGTAGACGAGGGCCCAATGGGCTGAAGCTCATCTCGGAAGTGATTGGGGAGCGCCT
CGGCATCCCCATGAGTGTGCTGATGGGGCCAAACATTGCCAGCGAGGTGGCTGATGAGAAGTTCTGTGAG
ACAACCATGGCTGCAAGGACCCGGCCAGGGACAACCTCTGAAAGAGCTGATGCAGACACCAAACCTTC
GTATCACAGTGGTGCAAGAGGTGGACACAGTAGAGATCTGTGGAGCCTTAAAGAAATGATGAGCCGTGGG
GGCTGGCTTCTGTGATGGCCTGGGCTTTGGCGACAACCAAGGCGCAGTGATCCGGCTGGGACTCATG
GAGATGATAGCCTTCGCCAAGCTCTTCTGCAGTGGCCCTGTGTCCTTGCCACCTTCTTGAGAGACTGTG
GTGTTGCTGACCTGATCACTACCTGCTATGGAGGGCGGAACCGAAAGTGGCTGAGGCCTTTGCGCGTAC
AGGAAAGTCCATTGAGCAGCTGGAGAAAGAGTTGCTGAATGGGCAGAACTGCAGGGGCCGAGACAGCC
CGGGAGCTATACAGCATCTCCAGCACAAGGGCCTGGTAGACAAGTTCCCTTGTTTCATGGCTGTGTACA
AGGTGTGCTACGAGGGCCAGCCAGTGGGTGAATTCATCCACTGCCTGCAGAATCATCCAGAACATATG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)


Protein Sequence: >RC232487 representing NM_001257199
 Red=Cloning site Green=Tags(s)

MASKKVCIVGSGNWGSAIAKIVGGNAAQLAQFDPRVTMWVFEEDIGGKLLTEIINTQHENVKYLPGHKLP
 PNVFIGIKICDQLKGHKANATGISLIKGVDEGPNGLKLISEVIGERLGIPMSVLMGANIASEVADEKFCE
 TTIGCKDPAQGQLLKMQTPNFRITVVQEVDTVEICGALKNNVAVGAGFCDFGFDNTKAAVIRLGLM
 EMIAFAKLFCSGPVSSATFLESCGVADLITTCYGGRRNRKVAEAFARTGKSIEQLEKELLNGQKLQGPETA
 RELYSILQHKGLVDFPLFMAVYKVCYEGQPVGEFIHCLQNHPEHM


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001257199

ORF Size: 978 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001257199.2
RefSeq Size:	3014 bp
RefSeq ORF:	981 bp
Locus ID:	2819
UniProt ID:	P21695
Cytogenetics:	12q13.12
Protein Pathways:	Glycerophospholipid metabolism
MW:	35.6 kDa
Gene Summary:	This gene encodes a member of the NAD-dependent glycerol-3-phosphate dehydrogenase family. The encoded protein plays a critical role in carbohydrate and lipid metabolism by catalyzing the reversible conversion of dihydroxyacetone phosphate (DHAP) and reduced nicotinic adenine dinucleotide (NADH) to glycerol-3-phosphate (G3P) and NAD ⁺ . The encoded cytosolic protein and mitochondrial glycerol-3-phosphate dehydrogenase also form a glycerol phosphate shuttle that facilitates the transfer of reducing equivalents from the cytosol to mitochondria. Mutations in this gene are a cause of transient infantile hypertriglyceridemia. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Mar 2012]