

Product datasheet for **RC233083**

IL17RC (NM_001203264) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	IL17RC (NM_001203264) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	IL17RC
Synonyms:	CANDF9; IL17-RL; IL17RL
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide
Sequence:

>RC233083 representing NM_001203264
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGCATCGCC**

ATGCCTGTGCCCTGGTTCTTGTGTCCTTGGCACTGGGCCGAAGCCAGTGGTCCTTTCTCTGGAGAGGC
TTGTGGGGCCTCAGGACGCTACCCACTGCTCTCCGGGCCTCTCCTGCCGCTCTGGGACAGTGACATACT
CTGCCTGCCTGGGGACATCGTGCCTGCTCCGGGCCCGTCTGGCGCCTACGCACCTGCAGACAGAGCTG
GTGCTGAGGTGCCAGAAGGAGACCGACTGTGACCTCTGTCTGCGTGTGGCTGTCCACTTGGCCGTGCATG
GGCACTGGGAAGAGCCTGAAGATGAGGAAAAGTTGGAGGAGCAGCTGACTCAGGGGTGGAGGAGCCTAG
GAATGCCTCTCTCAGGCCAAGTCGTGCTCTCCTTCCAGGCCTACCCTACTGCCCGCTGCGTCTGCTG
GAGGTGCAAGTGCCTGCTGCCCTTGTGCAGTTTGGTCAGTCTGTGGGCTCTGTGGTATATGACTGCTTCG
AGGCTGCCCTAGGAGTGAGGTACGAATCTGGTCTATACTCAGCCAGGTACGAGAAGGAACTCAACCA
CACACAGCAGCTGCCTGACTGCAGGGGGCTCGAAGTCTGGAACAGCATCCCGAGCTGCTGGGCCCTGCC
TGCTCAACGTGTGAGCAGATGGTGACAACGTGCATCTGGTTCTGAATGTCTCTGAGGAGCAGCACTTCG
GCCTCTCCCTGTACTGGAATCAGGTCCAGGGCCCCCAAAACCCCGTGGCACAACCACTGACTGGACC
GCAGATCATTACCTTGAACCACACAGACCTGGTCCCTGCCTCTGTATTCAAGGTGTGGCCTCTGGAACCT
GACTCCGTTAGGACGAACATCTGCCCTTCCAGGGAGGCCCGCGCACACCAGAACCTCTGGCAAGCCG
CCCAGCTGCGACTGCTGACCCTGCAGAGCTGGCTGCTGGACGCACCGTCTGCTGCCCGAGAAGCGGC
ACTGTGCTGGCGGGCTCCGGTGGGGACCCCTGCCAGCCACTGGTCCCACCGCTTCTGGGAGAAGCTC
ACTGTGGACGTGAACAGCTCGGAGAAGCTGCAGCTGCAGGAGTGTGTGGGCTGACTCCCTGGGGCCTC
TCAAAGACGATGTGCTACTGTTGGAGACACGAGGCCCCCAAGACAACAGATCCCTCTGTGCCTTGAACC
CAGTGGCTGTACTTCACTACCCAGCAAAGCCTCCACGAGGGCAGCTCGCCTTGGAGAGTACTTACTACAA
GACCTGCAGTCAGGCCAGTGTCTGCAGCTATGGGACGATGACTTGGGAGCGCTATGGGCCTGCCCATGG
ACAAATACATCCACAAGCGCTGGGCCCTCGTGTGGCTGGCCTGCCTACTCTTTGCCGCTGCGCTTCCCT
CATCCTCCTTCTCAAAAAGGATCACGCGAAAGCGGCCAGGGGCCGCGCGGCTCTGCTCCTTACTCA
GCCGATGACTCGGGTTTCGAGCGCCTGGTGGGCGCCCTGGCGTGGCCCTGTGCCAGTGGCGTGCAGC
TGGCCGTAGACCTGTGGAGCCGTCTGAACTGAGCGCGCAGGGGCCCGTGGCTTGGTTTCACGCGCAGCG
GCGCCAGACCCTGCAGGAGGGCGCGTGGTGGTCTTGTCTTCTCTCCCGGTGCGGTGGCGTGTGCAGC
GAGTGGCTACAGGATGGGGTGTCCGGGCCCGGGCGCACGGCCCGCACGCGCTTCCGCGCCTCGCTCA
GCTGCGTGTGCCGACTTCTTGCAGGGCCGGGCCCGGCGAGCTACGTGGGGCCTGCTTCGACAGGCT
GCTCCACCCGGACGCGCTACCCGCCCTTTCCGACCGTGGCCGCTTTCACACTGCCCTCCCAACTGCCA
GACTTCTGGGGGCCCTGCAGCAGCCTCGCGCCCCGCTTCCGGGCGGCTCCAAGAGAGAGCGGAGCAAG
TGTCCCGGGCCCTTACCCAGCCCTGGATAGCTACTTCCATCCCCGGGGACTCCCGCGCCGGGACGCGG
GGTGGGACCAGGCGCGGACCTGGGGCGGGGACGGGACT


ACGCGTACGCGGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA


Protein Sequence: >RC233083 representing NM_001203264
 Red=Cloning site Green=Tags(s)

MPVPWFLLSLALGRSPVVL SLERLVGPQDATHCSPGLSCRLWSDILCLPGDIVPAGPVLAPTHLQTEL
 VLRCQKETDCDLCLRVAVHLAVHGHWEPEDEEKFGGAADSGVEEPRNASLQAQVLSFQAYPTARCULL
 EVQVPAALVQFGQSVGSVYDCEAALGSEVRIWSYTPRYEKELNHTQQLPDCRGLVWNSIPSCWALP
 WLNVSADGDNVHLVLNVSEEQHFGLSLYWNQVQGPCKPRWHKNTGQPQIITLNHTDLVPCLCIQVWPLEP
 DSVRTNICPFREDPRAHQNLWQAARLRLTLQSWLLDAPCSLPAEAALCWRAPGGDPCQPLVPPLSWENV
 TVDVNSSEKLQLECLWADSLGPLKDDVLLLETRGPQDNRSLEALEPSGCTSLPSKASTRAARLGEYLLQ
 DLQSGQCLQLWDDDLGALWACPMKYIHKRWLVWLACLLFAAALSLILLKKDHAKAAARGRAALLYS
 ADDSGFERLVGALASALCQLPLRVAVDLWSRRELSAQGPVAVFHAQRRTLQEGGVVLLFSPGAVALCS
 EWLQDGVSGPAHGPHDAFRASLSCVLPDFLQGRAPGSYVGACFDRLHPDAVPALFRTVPVFTLPSQLP
 DFLGALQQPRAPRSGRLQERAEQVSRALQPALDSYFHPPGTPAPGRGVGPGAGPGAGDGT

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:
Cloning Scheme:



Plasmid Map:


ACCN: NM_001203264

ORF Size: 2070 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001203264.1](#), [NP_001190193.1](#)

RefSeq Size: 2362 bp

RefSeq ORF:	2073 bp
Locus ID:	84818
UniProt ID:	Q8NAC3
Cytogenetics:	3p25.3-p24.1
Protein Families:	Druggable Genome, Transmembrane
MW:	75.7 kDa

Gene Summary: This gene encodes a single-pass type I membrane protein that shares similarity with the interleukin-17 receptor (IL-17RA). Unlike IL-17RA, which is predominantly expressed in hemopoietic cells, and binds with high affinity to only IL-17A, this protein is expressed in nonhemopoietic tissues, and binds both IL-17A and IL-17F with similar affinities. The proinflammatory cytokines, IL-17A and IL-17F, have been implicated in the progression of inflammatory and autoimmune diseases. Multiple alternatively spliced transcript variants encoding different isoforms have been detected for this gene, and it has been proposed that soluble, secreted proteins lacking transmembrane and intracellular domains may function as extracellular antagonists to cytokine signaling. [provided by RefSeq, Feb 2011]