

Product datasheet for **RC233113**

RFX4 (NM_001206691) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	RFX4 (NM_001206691) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	RFX4
Synonyms:	NYD-SP10
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>RC233113 representing NM_001206691
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGATCAAAGGAGAGCCACCCTGGTGCGGGAGGCGACAGGACCAGGCCTCGACGGCGCCGTTCCACTG
 AGAGCTGGATTGAAAGATGTCTCAACGAAAGTGAAAACAACGTTATTCCAGCCACACATCTCTGGGGAA
 TGTTTCTAATGATGAAAATGAGGAAAAAGAAAATAATAGAGCATCCAAGCCCCACTCCACTCCTGCTACT
 CTGCAATGGCTGGAGGAGAACTATGAGATTGCAGAGGGGTCTGCATCCCTCGCAGTGCCCTCTATATGC
 ATTACCTGGATTCTGCGAGAAGATGATACCCAACTGTCAATGCTGCCAGCTTTGAAAGATCATAAG
 GCAGCAGTTTCTCAGTTAACCACCAGAAGACTCGGGACCCGAGGACAGTCAAAGTACCATTACTATGGC
 ATTGCAGTGAAAGAAAGCTCCCAATATTATGATGTGATGATTCCAAGAAAGGAGCTGCCTGGGTGAGTG
 AGACGGGCAAGAAAGAAGTGAGCAAACAGACAGTGGCATTACCCCGGTCCAAACTCGGAACACTGCT
 GCCAGAATTTCCAATGTCAAAGATCTAAATCTGCCAGCCAGCCTGCCTGAGGAGAAGGTTTCTACCTTT
 ATTATGATGTACAGAACACACTGTCAGAGAATACTGGACACTGTAATAAGAGCCAACCTTTGATGAGGTT
 AAAGTTTCTTCTGCACTTTTGGCAAGGAATGCCGCCACATGCTGCCTGTGCTGGGCTCTCCACGGT
 GGTGAACATTGTGCGGCTGTGTGACTCCATCCTCTACAAAGCTATCTCCGGGTGCTGATGCCCACTGTG
 CTGCAGGCATTACCTGACAGCTTAACTCAGGTGATTGCAAAGTTTGCAAAGCAACTGGATGAGTGGCTAA
 AAGTGGCTCTCCACGACCTCCAGAAAACCTTGCAAAACATCAAGTTGCAATTGTGAGAAAGTTCTCCCA
 AATTCTGAGACGGCAAACATCACTAAATCATCTCTGCCAGGCATCTCGAACAGTGATCCACAGTGCAGAC
 ATCACGTTCCAAATGCTGGAAGACTGGAGGAACGTGGACCTGAACAGCATCACCAGCAACCCCTTTACA
 CCATGGAAGACTCTCGCATGAGCACCGGAAACTCATCACCCAATTATATCAGGAGTTTGACCATCTCTT
 GGAGGAGCAGTCTCCCATCGAGTCTACATTGAGTGGCTGGATACCATGGTTGACCCTGTGTTGTGAAG
 GTGGCTGCCAAGAGACAAGGTCCTTGAAGAAAGTGGCCAGCAGTTCCTCTTGATGTGGTCTGTTTCG
 GCACAAGGTGATCCGGGACATGACCTTGACAGCGCCCCAGCTTCGGGTCTTTTACCTAATTCACTT
 AATGTTTGATGACTACGTGCTCTACCTGTTAGAATCTCTGCACTGTGAGGAGCGGGCCAATGAGCTCATG
 CGAGCCATGAAGGGAGAAGGAAGCACTGCAGAAGTCCGAGAAGAGATCATCTTGACAGAGGCTGCCGCAC
 CAACCCCTTCACCAGTGCCATCGTTTTCTCCAGCAAAATCTGCCACATCTGTGGAAGTCCACCTCCCTC
 TTCCCCTGTTAGCAATCCTTCCCCTGAGTACACTGGCCTCAGCACTACAGGAGCAATGCAGTCTTACAG
 TGGTCTCTAACATACACAGTGACGACGGCTGCTGGTCCCAGCTGAGAACTCCCAACAGCTGCCCTGTA
 TGAGGAACACTCATGTGCCTTCTCCTCCGTACACACAGGATACCAAGTTATCCCCACAGAGAGGAACA
 TGGATACACGGGAAGCTATAACTATGGGAGCTATGGCAACCAGCATCCTCACCCATGCAGAGCCAGTAT
 CCGGCCCTCCCTCATGACACAGCTATCTCTGGCCACTCCACTATGCCCTTACCACAGGAGCTCTGCAC
 AGTACCTTTTAAAGCCCCACTTCCCGGATGGAACCTTGTTGATGAGCAGTACTCCAGACTGCATCC
 TACCCAGTCACTCCCGCTGGCCAGAGGTGCCCTCAGCCAACACGTGCTACACAAGCCCGTCTGTGCAT
 TCTGCGAGGTACGAAACTCTAGTGACATGTATACCTCTGACAACGCGCAGGAATTCTGAATATGAGC
 ACATGCAACACTTCTGGCTTTGCTTACATCAACGGAGAGGCCCTACAGGATGGGCTAAA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC233113 representing NM_001206691
 Red=Cloning site Green=Tags(s)


MIKRAHPGAGGDRTRPRRRRSTESWIERCLNESENKRYSSHTSLGNVSNDENEEKENNRASKPHSTPAT
 LQWLEENYEIAEGVCIPRSALYMHYLDFCEKNDTQPVNAASFGKII RQQFPQLTTRRLGTRGQSKYHYYG
 IAVKSSQYYDVMSKGAAWVSETGKKEVSKQTVAYSPPRSKLGTLLEFPVNVKDLNLPASLPEEKVSTF
 IMMYRTHCQRILDTVIRANFDEVQSFLHFVQGMPPHMLPVLGSSTVVNI VGVCD S ILYKAI SGVLMPTV
 LQALPDSLTVIRKFAKQLDEWLKVALHDLPENLRNIKFE LSRRFSQILRRQTSLNHL CQASRTVIHSAD
 ITFQMLEDRNVDLNSITKQTL YTMEDSRDEHRK LITQLYQEFDHLL EEQSP IESYIEWLDTMVDRCVVK
 VAAKRQGSLLKVAQQFLLMWSFCGTRVIRDMLHSAPSGFSLIHLMFDDYVLYLLES LHCQERANELM
 RAMKGGSTA EVREEIILTEAAAPTSPVPSFSPAKSATSVEVPPPSSPVSNPSP EY TGLSTTGAMQSYT
 WSLTYTVTTAAGSPAENSQQLPCMRNTHVPSVVTHRIPVYPHREEHGYTGSYNYGSYGNQHPHPMQSQY
 PALPHDTAISGPLHYAPYHRSSAQYFNSPTSRMEPCLMSSTPRLHPTVTPRWPEVPSANTCYTSPSVH
 SARYGNSSDMYTPLTTRRNSEYEHMQHFPGFAYINGEASTGWAK

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV

Restriction Sites:


Sgfl-MluI

Cloning Scheme:



* The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001206691

ORF Size: 2232 bp

OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in *E. coli* are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001206691.2](#)

RefSeq Size: 3718 bp

RefSeq ORF: 2235 bp

Locus ID: 5992

UniProt ID: [Q33E94](#)

Cytogenetics: 12q23.3

Protein Families: Transcription Factors

MW: 84.9 kDa

Gene Summary: This gene is a member of the regulatory factor X gene family, which encodes transcription factors that contain a highly-conserved winged helix DNA binding domain. The protein encoded by this gene is structurally related to regulatory factors X1, X2, X3, and X5. It has been shown to interact with itself as well as with regulatory factors X2 and X3, but it does not interact with regulatory factor X1. Alternative splicing results in multiple transcript variants. [provided by RefSeq, May 2011]