

Product datasheet for **RC233157**

CTNND1 (NM_001206891) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	CTNND1 (NM_001206891) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	CTNND1
Synonyms:	BCDS2; CAS; CTNND; p120; p120(CAS); p120(CTN); P120CAS; P120CTN
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin



[View online »](#)

ORF Nucleotide Sequence:

>RC233157 representing NM_001206891
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGGCCAACGGCACACTCACCCCGCGCATCAGAACGGCCGGTTTGTGGGCGATGCTGACCTTAAAGAC
 AGAAATTTTCAGATTTGAACTCAACGGACCCAGGATCACAGTACCTTCTATATAGCACCATCCCAG
 GATGCAGGAGCCGGGCAGATTGTGGAGACCTACACGGAGGAGGATCCTGAGGGAGCCATGTCTGTAGTC
 TCTGTGGAGACCTCAGATGATGGGACACTCGGCGCACAGAGACCACGGTCAAGAAAGTAGTGAAGACTG
 TGACAACACGGACAGTACAGCCAGTCGCTATGGGACCAGACGGTTGCCTGTGGATGCTTCATCAGTTTC
 TAACTATATCCAGACTTTGGGTCGTGATTTCCGCAAGAAATGGCAATGGGGGACCTGGTCCCTATGTG
 GGGCAAGTGGCACTGCTACCTTCTAGGAATTCCTACTACCTCCTGATGGTTATAGTCGCCACTATG
 AAGATGGTTATCCAGGTGGCAGTGATAACTATGGCAGTCTGTCCGGGTGACCCGATTGAGGAGCGGTA
 TAGGCCACAGCATGGAAGGCTACCGGCACCTAGTAGACAGGATGTGTATGGGCCCAACCCAGGTTCCG
 GTAGGTGGGAGCAGCGTGGATCTGCATCGCTTTCATCCAGAGCCTTATGGGCTAGAGGATGACCAGCGTA
 GTATGGGCTATGATGACCTGGATTATGGTATGATGTCTGATTATGGCACTGCCCGTCGGACTGGGACACC
 CTCTGACCCTCGTCGGCGCCTCAGGAGCTATGAAGACATGATTGGTGAGGAGGTGCCATCGGATCAATAC
 TACTGGGCTCCTTTGGCCAGCATGAGCGAGGAAGTTTAGCAAGCTTGGATAGCCTGCGCAAAGGAGGGC
 CTCCACCTCCTAATTGGAGACAGCCAGAGCTGCCAGAGGTGATCGCCATGCTTGGATTCCGCTTGGATGC
 TGTCAAGTCCAATGCAGCTGCATACCTGCAACACTTATGCTACCGCAATGACAAGGTGAAGACTGACGTG
 CGGAAGCTCAAGGCATCCAGTACTGGTGGGATTGTTAGACCATCCAAAAAGGAAGTGCACCTTGGAG
 CCTGTGGAGCTCAAGAATATCTTTTGGACGTGACCAGGATAACAAGATTGCCATAAAAAACTGTGA
 TGGTGTGCCTGCCCTTGTGCGATTGCTTCGAAAGGCTCGTGATATGGACCTTACTGAAGTTATTACCGGA
 ACCCTGTGGAATCTTTCATCCCATGACTCAATCAAAATGGAGATTGTGGACCATGCACTGCATGCCTTGA
 CAGATGAAGTGATCATTCTCATTCTGGTTGGGAGCGGGAACCTAATGAAGACTGTAAGCCACGCCATAT
 TGAGTGGGAATCGGTGCTCACCACACAGCTGGCTGCCTTAGGAATGTAAGCTCAGAGAGGAGTGAAGCT
 CGCCGGAAACTTCGGGAATGTGATGGTTTGTGATGCTCCTCATTTCATTGTTCCAGGCTGAGATTGGGC
 AGAAGGATTGAGACAGCAAGCTTGTAGAGAACTGTGTTTGCCTTCTTCGGAACCTATCATATCAAGTTCA
 CCGGGAGATCCCACAGGCAGAGCGTTACCAAGAGGCAGCTCCCAATGTTGCCAACAACTAGGGCCACAT
 GCTGCCAGTTGCTTTGGGGCCAAGAAGGGCAAAGGGAAAAACCTATAGAGGATCCAGCAAACGATACAG
 TGGATTTCCCTAAAAGAACGAGTCCAGCTCGAGGCTATGAGCTCTTATTTAGCCAGAGGTGGTTCCGGAT
 ATACATCTCACTTCTAAGGAGAGCAAGACTCCTGCCATCCTAGAAGCCTCAGCTGGAGCTATCCAGAAC
 TTGTGTGCTGGGCGCTGGACGTATGGTCGATACATCCGCTCTGCTCTGCGTCAAGAGAAGGCTCTTCTG
 CCATAGCTGACCTCCTGACTAATGAACATGAACGGGTGGTGAAGCTGCATCTGGAGCACTGAGAAACCT
 GGCTGTGGATGCTCGCAACAAAGAATTAATTGGTAAACATGCTATTCTAACTTGGTAAAGAATCTGCCA
 GGAGGACAGCAGAACTCCTCTTGGAAATTTCTCTGAGGACACTGTCATCTCTATTTTGAACACTATCAACG
 AGGTTATCGCTGAGAACTTGGAGGCTGCCAAAAAGCTTCGAGAGACACAGGGTATTGAGAAGCTGGTGT
 GATCAACAAATCAGGGAACCGCTCAGAAAAAGAGTTTCGAGCAGCAGCACTTGTATTACAGACAATCTGG
 GGATATAAGGAACTGCGGAAGCCACTGGAAAAAGAGGATGGAAGAAATCAGACTTTCAGGTGAATCTAA
 ACAATGCTTCCCGAAGCCAGAGCAGTCATTTCATATGATGATAGTACTCTCCCTCTCATTGACCGGAACCA
 AAAATCAGATAAGAACTGATCGGGAAGAAATTCAGATGAGCAATATGGGATCAAACACAAAATCACTA
 GATAACAATAATCCACACCAAATGAGAGAGGAGACCACAATAGAACACTGGATCGATCGGGGGATCTAG
 GCGACATGGAGCCATTGAAGGGAACAACACCCTTGTGCAGAAGATT

ACGCGTACGCGGCGGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC233157 representing NM_001206891
 Red=Cloning site Green=Tags(s)

MANGTLTRRHQNGRFVGDADLERQKFSDLKLNQPQDHSLLYSTIPRMQEPGQIVETYTEEDPEGAMSVV
 SVETSDDGTTTRTETTvkKVVKTVTTRTVQPVAMGPDGLPVDASSVSNNYIQTLGRDFRKNNGGPGPYV
 GQAGTATLPRNFHYPPDGYSRHYEDGYPGSDNYGSLSRVTRIEERYRPSMEGYRAPSRQDYYGPOQVVR
 VGGSSVDLHRFHPEPYGLEDDQQRSMGYDDL DYGMSDYGTARRTGTPSDPRRRLRSYEDMIGEEVPSDQY
 YWAPLAQHERGSLASLDSLKGGPPPNWRQPELPEVIAMLGFRLLDAVKSNAAAYLQHLCYRNDKVKTDV
 RKLGIPVLVGLLDHPKKEVHLGACGALKNISFGRDQDNKIAIKNCDGVPALVRLLRKARDMDL TEVITG
 TLWNLSSHDSIKMEIVDHALHALTDEVIIPHSGWEREPNEDCKPRHIEWESVLTNTAGCLRNVSSERSEA
 RRKLRECDGLVDALIFIVQAEIGQKDSKLVENCVLLRNLSYQVHREIPQAERYQEAAPNVANNTGPH
 AACFCGAKKGGKPIEDPANDTVDFPKRTSPARGYELLFQPEVVRIYISLLKESKTPAILEASAGAIQN
 LCAGRWTYGRYIRSALRQEKALSAIADLLTNEHERVVKAASGALRNLAVDARNKELIGKHAIPNLVKNLP
 GGQNSSWNFSEDTVISILNTINEVIAENLEAAKKLRETQGIEKLVLINKSGNRSEKEVRAAALVLQTIW
 GYKELRKPLEKEGWKKSDFQVNLNNASRSQSSHSYDDSTLPLIDRNQKSDKKPDREEIQMSNMGSNTKSL
 DNNYSTPNERGDHNRTLDRSGDLGDMEPLKGTTPLMQKI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001206891

ORF Size: 2637 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001206891.1](#), [NP_001193820.1](#)

RefSeq Size: 6149 bp

RefSeq ORF: 2640 bp

Locus ID: 1500

UniProt ID: [O60716](#)

Cytogenetics: 11q12.1

Protein Families:	Druggable Genome
Protein Pathways:	Adherens junction, Leukocyte transendothelial migration
MW:	98.5 kDa
Gene Summary:	This gene encodes a member of the Armadillo protein family, which function in adhesion between cells and signal transduction. Multiple translation initiation codons and alternative splicing result in many different isoforms being translated. Not all of the full-length natures of the described transcript variants have been determined. Read-through transcription also exists between this gene and the neighboring upstream thioredoxin-related transmembrane protein 2 (TMX2) gene. [provided by RefSeq, Dec 2010]