

## Product datasheet for **RC233188**

### GLT28D1 (ALG13) (NM\_001257237) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	GLT28D1 (ALG13) (NM_001257237) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	GLT28D1
Synonyms:	CDG1S; CXorf45; DEE36; EIEE36; GLT28D1; MDS031; TDRD13; YGL047W
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

**ORF Nucleotide  
Sequence:**

>RC233188 ORF sequence  
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
 GCC**CGCATCGCC**

ATGAACAATCATCAGCTGGAAGTGGCAAAGCAGCTACACAAGAGGGTCACTCTCTTATTGTACCTGCA  
 GGGTCCTGACTTGTCTGGGCAAGCCAAGTCCATTGCTTCTGCTCCTGGGAAGTGCCAAGATTCTGCAGC  
 GCTGACTTCAACTGCCTTTTCAGGCCTAGACTTTGGGCTGCTTTCCGGTACCTGCATAAGCAAGCCCTT  
 GTTACTGCTACCCATCTACCTGCACCCTGCTTTTCCCTCTTGCCACGCTTTTTTCTCTCCCTCTTA  
 CCCCCACCCTGTACAAAATGCATAAAGGATGGAAGAACTACTGCAGCCAGAAGTCTTTGAATGAGGCATC  
 AATGGATGAATATTTAGGCAGCTTAGGGCTGTTTCGAAAGCTGACTGCCAAGGATGCCTCTTGCCTCTT  
 CGGGCCATTTCCGAGCAGTTGTTTTGCAGCCAGGTCCATCATTTGGAAATCAGGAAGGCTTGTGTCTCAT  
 ATATGAGGGAAAATCAACAACTTTTGTGCTTATGTGGAGGGATCTTTGAGAAAATACCTGGAACGGTT  
 GGGAGATCCCAAGGAAAGTGTGCCAGCTGGAATAAGAGCTCTTCTCTAATTTATAATCGGGATTTTC  
 ATCTTTATCGCTTTCCTGGAAAACCTCCAACCTATGTCACAGATAATGGCTATGAGACAAGATTCTAC  
 TCTGCTACTCAAGTAGTGGTCACTATGATTCTGTGTACTCAAAAACAATTCAGTCAAGTGCAGCTGTTTG  
 TCAGGCTGTATTGTACGAAATCTCTATAAAGATGTGTTTGTGGATGAAGAAGAGTTGAAGACTGCG  
 ATTAATTTGTTTCGAAGTGGTCTAAGAAGAACAGAAATAATGCTGTAAGTGAAGCGAGGATGCCATA  
 CTGATTACAAGAGTTCAAATCAGAATAGGATGGAAGAGTGGGGTGCCTGCTACAATGCTGAAAATATACC  
 AGAGGGCTACAATAAAGGAACAGAAGAAACAAAGTCTCCAGAAAATCCATCAAAGATGCCCTTCCCTAT  
 AAGGTGCTCAAAGCCCTGGATCCAGAAAATCTATCGTAATGTAGAATTTGATGTTTGGTTGGACAGCAGAA  
 AAGAATTCAAAAATCTGATTACATGGAGTATGCTGGGAGACAGTACTATTTGGGAGACAAGTGCAGTT  
 TTGCTTGGAAATCAGAAGGAAGATATTATAATGCTCATATCCAGGAAGTTGGAAATGAGAACAATTCAGTA  
 ACAGTCTTCATTGAAGAATTGGCGGAAAAGCATGTTGTTCCACTGGCTAACTTAAAACCAGTTACCAAG  
 TGATGTCTGTTCCCTGCCTGGAATGCTATGCCAGTCGGAAGGAAGAGGTTACCAGAAAATGCCTGGGG  
 TTATGTCCCGAAATAGTTATATCAGAGATGGACATAAAGCAACAGAAGAAGATGTTCAAGAAAATTCGA  
 GGGAAAGAAGTTTACATGACTATGGCTTACGGCAAGGGAGACCCCTCTCCACCCAGGCTGCAGCACA  
 GTATGCATTATGGGCACGATCTCCAATGCACTACTCACAGACAGCTGGCAATGTATGTCTAATGAACA  
 TTTTCATCCTCAGCATCCATCTCCGAGACAAGGTCGGGGATATGGGATGCCAGGAATTCATCTCGGTTT  
 ATAAACAGGCACAACATGCCGGCCCTAAAGTTGATTTTTACCCAGGCCAGGTAAGGTTGCTGCCAGA  
 GCTATGATAACTTCTCTTATAGATCTCGTTCATTTAGACGTAGTACCCGACAGTGAATTTGTGAATAA  
 GGAGTCCCAGTATGGATTTACCCAGGGAATGGACAGATGCCAGGGGCTTGAAGAAAATATTACTTTT  
 TATGAAGTTGAAGAAGGGGATGAGACTGCTTATCCAACCTTACCTAATCATGGAGGTCCTCTACAATGG  
 TTCCTGCTACTTCAGGATACTGTGTTGGAAGGCGGGGACATAGCTCAGGCAACAGACTTTGAATTTAGA  
 GGAGGGCAATGGCCAGAGTGAAGTGGGCGATATCATGAAGAATATCTTTATCGTGCAGAGCCAGACTAT  
 GAAACTTCAGGTGTTTATAGCACAACCTGCATCTACAGCAAACCTTGCTCTTCAGGACAGAAAAGTCATGTT  
 CTATGTCTCCTCAGGACACAGTTACCTCATACTACCCAGGAGATGATGGGAAATATTGCAGCAGT  
 TGCAGCTTCTGTGCCAATAATGTTCCAGCTCCAGTCTTATCTAACGGTGCAGCGCTAATCAAGCTATT  
 AGTACCATTTCAGTTTCCCTCACAGAATGCTATACAGCCTCTCTTTGTATCTCCACCTACACAGGCAGGC  
 CAGATACAAAAGTTTTGCAGTACTATTTCAATCTAGGATTGCAGTGTATTACCACAGCTACTGGCACTC  
 CATGGTCTATGTGCCACAGATGCAGCAGCAGCTTTCATGTAGAGAATTATCCAGTCTATACTGAGCCACCT  
 CTGGTAGATCAAACCGTTCCTCAATGCTACAGTGAAGTGAAGGAGAGAAGATGGCATAACAGGCGGAAGCAT  
 CAGCAAATGATACTTTTCCGAATGCTGATTCTTCTCATCTGTCCCTCATGGAGCAGTCTATTATCCAGTAAT  
 GTCAGATCCCTATGGGCAGCCACCTTTGCCAGGTTTTGACTCCTGCCTCCGGTTGTGCCAGATTATTCC  
 TGTGTTCCCCCTGGCATCCAGTTGGTACAGCATATGGTGGTTCTTCTCAAATTCATGGTGTATAAATC  
 CTGGGCCAATTGGCTGTATTGCTCCATCTCCCCAGCTTCTCATTATGTACCTCAGGGTATG

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC233188 protein sequence  
Red=Cloning site Green=Tags(s)


MNNHQLELAKQLHKEGHLFYCTCRVLTCPGQAKSIASAPGKCQDSAALTSTAFSGLDFGLLSGYLHKQAL  
 VTATHPTCTLLFPSCHAFFPLPLTPTLYKMHKGWKNYCSQKSLNEASMDEYLGSLGLFRKLTAKDASCLF  
 RAISEQLFC SQVHHLEIRKACVSYMRENQQTFFESYVEGSFEKYLRLGDPKESAGQLEIRALSLIYNRDF  
 ILYRFPGKPPTYVTDNGYEDKILLCYSSSGHYDSVYSKQFQSSAAVCQAVLYEILYKDFVVDDEELKTA  
 IKLFRSGSKNRNNAVTSSEDAHTDYKSSNQNRMEEWGACYNAENIPEGYNKGTEETKSPENPSKMPFPY  
 KVLKALDPEIYRNVEFDVWLDNRKELQKSDYMEYAGRQYYLGDKCQVCLESEGRYYNAHIQEVGNENNSV  
 TVFIEELAETHVPLANLKPVTQVMSVPAWNAMPSRKGRGYQKMPGGYVPEIIVISEMDIKQKKMFKKIR  
 GKEVYMTMAYGKGDPLLPRLQHSMHYGHDPMPHYSQTAGNVMSNEHFHPQHPSPRQGRGYGMPRNSRF  
 INRHMPGPKVDFYPGPKRCCQSYDNFSYRSRFRSHRQMSCVNKESQYGFTPNGQMPRGLEETITF  
 YEVEEGDETA YPTLPNHGGPSTMVPATSGYCVGRRGHSSGKQTLNLEENGQSENGRYHEEYL YRAEPDY  
 ETSGVYSTTASTANLSLQDRKSCSMSPQDVTVSYNYPQKMMGNI AAVAASCANNVPAPVLSNGAAANQAI  
 STTSVSSQNAIQPLFVSPPTHGRPDTKVLQYYFNLGLQCYHYSWHSMVVYPQMQQQLHVENYPVYTEPP  
 LVDQTPVQCYSVRRREDGIQAEASANDTFPNADSSSVPHGAVYYPVMSDPYGPPLPGFDSCLPVVDPDYS  
 CVPPWHPVGTAYGGSSQIHGAINPGPIGCIAPSPASHYYPQGM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**




**ACCN:** NM\_001257237

**ORF Size:** 2862 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001257237.1</a> , <a href="#">NP_001244166.1</a>
<b>RefSeq Size:</b>	4015 bp
<b>RefSeq ORF:</b>	2865 bp
<b>Locus ID:</b>	79868
<b>UniProt ID:</b>	<a href="#">Q9NP73</a>
<b>Cytogenetics:</b>	Xq23
<b>Protein Pathways:</b>	Metabolic pathways, N-Glycan biosynthesis
<b>MW:</b>	106.9 kDa
<b>Gene Summary:</b>	The protein encoded by this gene is a subunit of a bipartite UDP-N-acetylglucosamine transferase. It heterodimerizes with asparagine-linked glycosylation 14 homolog to form a functional UDP-GlcNAc glycosyltransferase that catalyzes the second sugar addition of the highly conserved oligosaccharide precursor in endoplasmic reticulum N-linked glycosylation. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Dec 2009]

Product images:



Circular map for RC233188