

# **Product datasheet for RC233308**

### 9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com

OriGene Technologies, Inc.

#### EU: info-de@origene.com CN: techsupport@origene.cn

# TECK (CCL25) (NM\_001201359) Human Tagged ORF Clone

**Product data:** 

**Product Type:** Expression Plasmids

Product Name: TECK (CCL25) (NM\_001201359) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: TECK

Synonyms: Ckb15; Ck beta-15; SCYA25; TECK

Mammalian Cell

Selection:

Neomycin

**Vector:** pCMV6-Entry (PS100001) **E. coli Selection:** Kanamycin (25 ug/mL)

ORF Nucleotide >RC233308 representing NM\_001201359
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

 ${\tt TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC}$ 

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC233308 representing NM\_001201359

Red=Cloning site Green=Tags(s)

MNLWLLACLVAGFLGAWAPAVHTQGVFEDCCLAYHYPIGWAVLRRAWTYRIQEVSGSCNLPAAIFYLPKR HRKVCGNPKSREVQRAMKLLDARNKVFAKLHHNTQTFQGPHAVKKLSSGNSKLSSSKFSNPISSSKRNVS

LLISANSGL


TRTRPLEQKLISEEDLAANDILDYKDDDDKV


**Restriction Sites:** Sgfl-Mlul





#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

**ACCN:** NM\_001201359

ORF Size: 447 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001201359.1, NP 001188288.1</u>

 RefSeq Size:
 999 bp

 RefSeq ORF:
 450 bp

 Locus ID:
 6370

 UniProt ID:
 015444

## TECK (CCL25) (NM\_001201359) Human Tagged ORF Clone - RC233308

Cytogenetics: 19p13.2

**Protein Families:** Druggable Genome, Secreted Protein

**Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction

**MW:** 17 kDa

**Gene Summary:** This antimicrobial gene belongs to the subfamily of small cytokine CC genes. Cytokines are a

family of secreted proteins involved in immunoregulatory and inflammatory processes. The CC cytokines are proteins characterized by two adjacent cysteines. The cytokine encoded by


this gene displays chemotactic activity for dendritic cells, thymocytes, and activated

macrophages but is inactive on peripheral blood lymphocytes and neutrophils. The product of this gene binds to chemokine receptor CCR9. Alternative splicing results in multiple

transport transport into the movine receptor CCNS. Attendance splicing results

transcript variants. [provided by RefSeq, Sep 2014]

## **Product images:**



Circular map for RC233308