

Product datasheet for RC233321

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

PSMC3IP (NM 001256014) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PSMC3IP (NM_001256014) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: PSMC3IP

Synonyms: GT198; HOP2; HUMGT198A; ODG3; TBPIP

Mammalian Cell Neomycin

Selection:

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC233321 representing NM_001256014
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC233321 representing NM_001256014

Red=Cloning site Green=Tags(s)

MYGKQKIYFADQDQFDMVSDADLQVLDGKIVALTAKVQSLQQSCRYMEAELKELSSALTTPEMQKEIQEL KKECAGYRERLKNIKAATNHVTPEEKEQVYRERQKYCKEWRKRKRMATELSDAILEGYPKSKKQFFEEVG

IETDEDYNVTLPDP

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001256014

ORF Size: 462 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001256014.1, NP 001242943.1</u>

RefSeq Size: 1452 bp
RefSeq ORF: 465 bp
Locus ID: 29893
UniProt ID: Q9P2W1



Cytogenetics: 17q21.2

Protein Families: Druggable Genome

MW: 18.5 kDa


Gene Summary: This gene encodes a protein that functions in meiotic recombination. It is a subunit of the

PSMC3IP/MND1 complex, which interacts with PSMC3/TBP1 to stimulate DMC1- and RAD51-mediated strand exchange during meiosis. The protein encoded by this gene can also coactivate ligand-driven transcription mediated by estrogen, androgen, glucocorticoid,

progesterone, and thyroid nuclear receptors. Mutations in this gene cause XX female gonadal dysgenesis. Alternative splicing of this gene results in multiple transcript variants. [provided

by RefSeq, Dec 2011]

Product images:



Circular map for RC233321