

Product datasheet for RC233329

TWIST2 (NM_001271893) Human Tagged ORF Clone

Product data:

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Product Type:	Expression Plasmids
Product Name:	TWIST2 (NM_001271893) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TWIST2
Synonyms:	AMS; BBRSAY; bHLHa39; DERMO1; FFDD3; SETLSS
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	<pre>>RC233329 ORF sequence Red=Cloning site Blue=ORF Green=Tags(s)</pre>
	TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC GCC <mark>GCGATCGC</mark> C
	ATGGAGGAGGGCTCCAGCTCGCCCGTGTCCCCCGTGGACAGCCTGGGCACCAGCGAGGAGGAGCTCGAGA GGCAGCCCAAGCGCTTCGGCCGGAAGCGGCGCTACAGCAAGAAGTCGAGCGAAGATGGCAGCCCGACCCC GGGCAAGCGCGGCAAGAAGGGCAGCCCCAGCGCGCGC
	ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT ACAAGGATGACGACGATAAG GTTTAA
Protein Sequence:	<pre>>RC233329 protein sequence Red=Cloning site Green=Tags(s)</pre>
	MEEGSSSPVSPVDSLGTSEEELERQPKRFGRKRRYSKKSSEDGSPTPGKRGKKGSPSAQSFEELQSQRIL ANVRERQRTQSLNEAFAALRKIIPTLPSDKLSKIQTLKLAARYIDFLYQVLQSDEMDNKMTSCSYVAHER LSYAFSVWRMEGAWSMSASH
	TRTRPLEQKLISEEDLAANDILDYKDDDDKV
Chromatograms:	https://cdn.origene.com/chromatograms/mk6171_h08.zip



This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US


GRIGENE TWIST2 (NM_001271893) Human Tagged ORF Clone – RC233329

Restriction Sites:	Sgfl-Mlul
Cloning Scheme:	Cloning sites used for ORF Shuttling:
	Sgfi ORF Miui
	EcoRI BamHI Kpn I RBS Conversus Sgf I CTATAGGGGGGGGGATTCGGCGGGGATCCGGGTACCGAGGAGATCTGCCGCGGCGCGCGC
	ORF <u>Miu i Noti Xho i Myc.Tag</u> ACG CGT ACG CGG CCG CTC GAG CAG AAA CTC ATC TCA GAA GAG T R T R P L <u>E Q K L I S E E</u>
	GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGGCC D L A A N D I L D Y K D D D K V stop
	* The last codon before the Stop codon of the ORF
ACCN:	NM_001271893
DRF Size:	480 bp
OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <u>More info</u>
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	 Centrifuge at 5,000xg for 5min. Carefully open the tube and add 100ul of sterile water to dissolve the DNA. Close the tube and incubate for 10 minutes at room temperature. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM 001271893.4</u>
efSeq Size:	1409 bp
lefSeq ORF:	483 bp
ocus ID:	117581

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US

	TWIST2 (NM_001271893) Human Tagged ORF Clone – RC233329
UniProt ID:	<u>Q8WVJ9</u>
Cytogenetics:	2q37.3
Protein Families	Druggable Genome, Transcription Factors
MW:	18.1 kDa
Gene Summary:	The protein encoded by this gene is a basic helix-loop-helix type transcription factor and shares similarity with Twist. This protein may inhibit osteoblast maturation and maintain cells in a preosteoblast phenotype during osteoblast development. This gene may be upregulated in certain cancers. Mutations in this gene cause focal facial dermal dysplasia 3, Setleis type. Two transcript variants encoding the same protein have been found. [provided by RefSeq, Apr 2014]

Product images:



Circular map for RC233329

This product is to be used for laboratory only. Not for diagnostic or therapeutic use. ©2023 OriGene Technologies, Inc., 9620 Medical Center Drive, Ste 200, Rockville, MD 20850, US