

Product datasheet for RC233401

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

C1orf149 (MEAF6) (NM_001270876) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: C1orf149 (MEAF6) (NM 001270876) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: C1orf149

Synonyms: C1orf149; CENP-28; EAF6; NY-SAR-91

Mammalian Cell

Selection:

Neomycin

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

ORF Nucleotide >RC233401 representing NM_001270876
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GCACCAGCTTCATCTG

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC233401 representing NM_001270876

Red=Cloning site Green=Tags(s)

MAMHNKAAPPQIPDTRRELAELVKRKQELAETLANLERQIYAFEGSYLEDTQMYGNIIRGWDRYLTNQKN SNSKNDRRNRKFKEAERLFSKSSVTSAAAVSALAGVQDQLIEKREPGSGTESDTSPDFHNQENEPSQEDP

EDLDGSVQGVKPQKAASSTSSGSHHSSHKKRKNKNRHRMNVSPKTGWHQLHL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV






Restriction Sites: Sgfl-Mlul

Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001270876

ORF Size: 576 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: NM 001270876.2

RefSeq Size: 4461 bp RefSeq ORF: 579 bp



Locus ID: 64769

UniProt ID: Q9HAF1

Cytogenetics: 1p34.3


MW: 22.2 kDa

Gene Summary: This gene encodes a nuclear protein involved in transcriptional activation. The encoded

protein may form a component of several different histone acetyltransferase complexes. There is a pseudogene for this gene on chromosome 2. Alternative splicing results in multiple

transcript variants. [provided by RefSeq, Aug 2012]

Product images:



Circular map for RC233401