

Product datasheet for **RC233745**

Citrate transport protein (SLC25A1) (NM_001256534) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	Citrate transport protein (SLC25A1) (NM_001256534) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	Citrate transport protein
Synonyms:	CMS23; CTP; D2L2AD; SEA; SLC20A3
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
ORF Nucleotide Sequence:	>RC233745 representing NM_001256534 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGTTCCCGCGGCACTGGCGCGGCGGCCGCCGACCGAAGTCCGGGACGGGGAGGGGCCGAGCGCC
AGCGGCCGGCGGGAGTCTCAGGAGCGGGTTCCTGGTCCCTGCAGGCGGCCTGGCGGGTGGCATCGAGAT
CTGCATCACCTTCCCCACCGAGTACGTGAAGACGCAGCTGCAGCTGGACGAGCGCTCGACCCGCCGCGG
TACCGGGGCATCGGGACTGCGTGGCGAGACGGTTCGAGCCATGGCGTCTGGGCTGTACCGCGGCC
TTAGCTCCCTGCTCTACGGTTCATCCCAAGCGGCCGTGAGTTTGAATGTTTCGAGTTCCTCAGCAA
CCACATGCGGGATGCCAGGGACGGCTGGACAGCACGCGTGGGCTGCTGTGCGGCCTGGGCGCTGGCGTG
GCCGAGGCCGTGGTGGTGGTGTGCCCATGGAGACCATCAAGGTGAAGTTCATCCACGACCAGACCTCCC
CAAACCCCAAGTACAGAGGATTCTTCCACGGGGTTAGGGAGATTGTGCGGGAACAAGGGCTGAAGGGGAC
GTACGAGGCCCTCACAGCCACTGTCTGAAGCAGGGCTCGAACCAGGCCATCCGCTTCTTCGTATGACC
TCCCTGCGCAACTGGTACCGAGGGGACAACCCCAACAAGCCCTGAACCTCTGATCACTGGGGTCTTCG
GAGCTATTGCAGGCGCAGCCAGTGTCTTTGAAACACTCCTCTGGATGTGATTAAGACCCGGATGCAGGG
CCTGGAGGCGCACAATACCGGAACACGTGGGACTGCGGCTTGAGATCCTGAAGAAGGAGGGGCTCAAG
GCATTCTACAAGGGCACTGTCCCCGCTGGGCCGGTCTGCCTGGATGTGGCCATAGTGTTCATCT
ATGATGAAGTGGTGAAGCTGCTCAACAAAGTGTGAAGACGGAC

AG**CGGACCG**ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCC
TGGATTACAAGGATGACGACGATAAGGTTTAA



[View online »](#)


Protein Sequence: >RC233745 representing NM_001256534
 Red=Cloning site Green=Tags(s)

MFPAALARRPRPKSGTGEGPERQRPGGSLRSGFPVPAGGLAGGIEICITFPTEYVKTQLQLDERSHPPR
 YRGIGDCVRQTVRSHGVLGLYRGLSSLLYGSIPKAAVRFGMFEFLSNHMRDAQGRLDSTRGLLCGLGAGV
 AEAVVVVCPMETIKVKFIHDQTSNPKYRGFFHGVREIVREQGLKGTQGLTATVLKQGSNQAIRFFVMT
 SLRNWYRGDNPKNPLITGVFGAIAGAASVFGNTPLDVIKTRMQGLEAHKYRNTWDCGLQILKKEGLK
 AFYKGTVPRLGRVCLDVAIVFVIYDEVKLLNKVWKTD

SGPTRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-RsrII

Cloning Scheme:



ACCN: NM_001256534

ORF Size: 954 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with 0.22um filter is required.

RefSeq: NM_001256534.2

RefSeq Size: 1680 bp

RefSeq ORF: 957 bp

Locus ID: 6576


Cytogenetics: 22q11.21

Protein Families: Druggable Genome

MW: 35.5 kDa

Gene Summary: This gene encodes a member of the mitochondrial carrier subfamily of solute carrier proteins. Members of this family include nuclear-encoded transporters that translocate small metabolites across the mitochondrial membrane. This protein regulates the movement of citrate across the inner membranes of the mitochondria. Mutations in this gene have been associated with combined D-2- and L-2-hydroxyglutaric aciduria. Pseudogenes of this gene have been identified on chromosomes 7, 11, 16, and 19. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2013]

Product images:



Circular map for RC233745