

Product datasheet for RC233833

PBX1 (NM_001204961) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PBX1 (NM_001204961) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: PBX1

Synonyms: CAKUHED

Mammalian Cell Neomycin

Selection:


Vector: pCMV6-Entry (PS100001)


E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Sgfl-Mlul

Cloning Scheme:

Cloning sites used for ORF Shuttling:





GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGGCCGGCC

D L A A N D I L D Y K D D D D K V stop

ACCN: NM_001204961

ORF Size: 1041 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

^{*} The last codon before the Stop codon of the ORF

PBX1 (NM_001204961) Human Tagged ORF Clone - RC233833

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001204961.2</u>

RefSeq Size:6974 bpRefSeq ORF:1044 bpLocus ID:5087

Cytogenetics: 1q23.3

Protein Families: Druggable Genome, Stem cell - Pluripotency, Transcription Factors

MW: 38.4 kDa

Gene Summary: This gene encodes a nuclear protein that belongs to the PBX homeobox family of


transcriptional factors. Studies in mice suggest that this gene may be involved in the regulation of osteogenesis and required for skeletal patterning and programming. A

chromosomal translocation, t(1;19) involving this gene and TCF3/E2A gene, is associated with pre-B-cell acute lymphoblastic leukemia. The resulting fusion protein, in which the DNA binding domain of E2A is replaced by the DNA binding domain of this protein, transforms cells by constitutively activating transcription of genes regulated by the PBX protein family. Alternatively spliced transcript variants encoding different isoforms have been found for this

gene. [provided by RefSeq, Jun 2017]



Product images:



Circular map for RC233833