

Product datasheet for RC233865

NDRG4 (NM_001242834) Human Tagged ORF Clone

Product data:

| | |
|---------------------------|--|
| Product Type: | Expression Plasmids |
| Product Name: | NDRG4 (NM_001242834) Human Tagged ORF Clone |
| Tag: | Myc-DDK |
| Symbol: | NDRG4 |
| Synonyms: | BDM1; SMAP-8; SMAP8 |
| Mammalian Cell Selection: | Neomycin |
| Vector: | pCMV6-Entry (PS100001) |
| E. coli Selection: | Kanamycin (25 ug/mL) |
| ORF Nucleotide Sequence: | >RC233865 representing NM_001242834 Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGCCGGAGTGTGGGATGGGAGGAGCCAAGAGCGGAGGCTGCCAGAGTGTCCAGCACGGTCTCTCCC
TTCAGGAACATGACATCGAGACACCCTACGGCCTTCTGCATGTAGTGATCCGGGGCTCCCCAAGGGGAA
CCGCCAGCCATCCTCACCTACCATGATGTGGCCTCAACCACAACTATGCTTCAACACCTTCTCAAC
TTCGAGGACATGCAGGAGATACCAAGCACTTTGTGGTGTGTACGTGGATGCCCTGGACAACAGGTGG
GGCGTTCGAGTTTCTCAGGGTACCAGTTCCCTCCATGGAGCAGCTGGCTGCCATGCTCCCCAGCGT
GGTGCAGATTTTCGGTTCAAGTATGTGATTGGCATCGGAGTGGGCGCCGAGCCTATGTCTGGCCAAG
TTTGCATCATCTTCCCCGACCTGGTGGAGGGCTGGTGTGGTGAACATCGACCCCAATGGCAAAGGCT
GGTAGACTGGGCTGCCACCAAGCTCTCCGGCCTAACTAGCACTTTACCCGACACGGTGTCTCCCACCT
CTTCAGCCAGGAGGAGCTGGTGAACAACACAGAGTTGGTGCAGAGCTACCCGACAGAGATTGGGAACGTG
GTGAACCAGGCCAACCTGCAGCTTCTGGAACATGTACAACAGCCGACAGACCTGGACATTAACCCGC
CTGGAACGGTGCCCAATGCCAAGACGCTCCGCTGCCCGTGATGCTGGTGGTTGGGGATAATGCACCCGC
TGAGGACGGGGTGGTGGAGTCAACTCCAACTGGACCCGACCACTACGACCTTCTGAAGATGGCAGAC
TCTGGAGGGCTGCCCCAGGTACACAGCCAGGGAAGCTGACTGAAGCCTTCAAATACTTCTGCAAGGCA
TGGGTACATGCCCTCAGCCAGCATGACCCGCTGGCACGCTCCGCACTGCATCCCTCACCAGTGCCAG
CTCGGTGGATGGCAGCCGCCACAGCCTGCACCACTCAGAGAGCAGCGAGGGGCTGGCCAGGTCAAC
CACACCATGGAGGTGTCCTGT

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTAA



[View online »](#)

Protein Sequence: >RC233865 representing NM_001242834
Red=Cloning site Green=Tags(s)

MPECWDGRSQERRLPRVSSTVSPLQEHDIEPTYGLLHVIVIRGSPKGNRPAILTYHDVGLNHKLCFNTEFFN
 FEDMQEITKHFVCHVDAPGQQVGASQFPQGYQFSPMEQLAAMPLPSVVQHFQYVIGVIGVAGAYVLAK
 FALIFPDLVEGLVLVNIIDPNKGWIDWAATKLSGLTSTLPDVLVSHLFSQEELVNTELVSQYRQQIGNV
 VNQANLQLFWMYNSRRDLDIRPQVTPNAKTLRCPVMLVVGDNAPAEADVVECNKLDPTTTTFLKMAD
 SGLLPQVTQPGKLTEAFKYFLQGMGYMPSASMTLRARSRTASLTSASSVDGSRPQACTHSESSEGLGQVN
 HTMEVSC

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites:

SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001242834

ORF Size: 1071 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001242834.1](#), [NP_001229763.1](#)

RefSeq Size: 3244 bp

RefSeq ORF: 1074 bp

Locus ID: 65009


UniProt ID: [Q9ULP0](#)

Cytogenetics: 16q21

MW: 39.6 kDa

Gene Summary: This gene is a member of the N-myc downregulated gene family which belongs to the alpha/beta hydrolase superfamily. The protein encoded by this gene is a cytoplasmic protein that is required for cell cycle progression and survival in primary astrocytes and may be involved in the regulation of mitogenic signalling in vascular smooth muscles cells. Alternative splicing results in multiple transcripts encoding different isoforms.[provided by RefSeq, Jun 2011]

Product images:



Circular map for RC233865