

## Product datasheet for RC233949

### NEK2 (NM\_001204182) Human Tagged ORF Clone

#### Product data:

|                           |                                                                                |
|---------------------------|--------------------------------------------------------------------------------|
| Product Type:             | Expression Plasmids                                                            |
| Product Name:             | NEK2 (NM_001204182) Human Tagged ORF Clone                                     |
| Tag:                      | Myc-DDK                                                                        |
| Symbol:                   | NEK2                                                                           |
| Synonyms:                 | HsPK21; NEK2A; NLK1; PPP1R111; RP67                                            |
| Mammalian Cell Selection: | Neomycin                                                                       |
| Vector:                   | pCMV6-Entry (PS100001)                                                         |
| E. coli Selection:        | Kanamycin (25 ug/mL)                                                           |
| ORF Nucleotide Sequence:  | >RC233949 representing NM_001204182<br>Red=Cloning site Blue=ORF Green=Tags(s) |

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGCCTTCCCGGGCTGAGGACTATGAAGTGTGTACACCATTGGCACAGGCTCCTACGGCCGCTGCCAGA  
AGATCCGGAGGAAGAGTGATGGCAAGATATTAGTTTGGAAAGAACTTGACTATGGCTCCATGACAGAAGC  
TGAGAAACAGATGCTTGTCTGAAGTGAATTTGCTTCGTGAAGTAAACATCCAAACATCGTTCGTTAC  
TATGATCGGATTATTGACCGGACCAATACAACACTGTACATTGTAATGGAATATTGTGAAGGAGGGGATC  
TGGCTAGTGAATTACAAAGGGAACCAAGGAAAGCAATACTTAGATGAAGAGTTTGTTCCTCGAGTGAT  
GACTCAGTTGACTCTGGCCCTGAAGGAATGCCACAGACGAAGTATGGTGGTCATACCGTATTGCATCGG  
GATCTGAAACCAGCCAATGTTTTCTGGATGGCAAGCAAAACGTCAGCTTGGAGACTTTGGGCTAGCTA  
GAATATTAACCATGACACGAGTTTTGCAAAAACATTTGTTGGCACACCTTATTACATGTCTCCTGAAACA  
AATGAATCGCATGTCTACAATGAGAAATCAGATATCTGGTCATTGGGCTGCTTGTGTATGAGTTATGT  
GCATTAATGCCTCCATTTACAGCTTTTAGCCAGAAAGAACTCGCTGGGAAATCAGAGAAGGCAAAATCA  
GGCAATTCATACCGTTACTCTGATGAATTGAATGAAATATTACGAGGATGTTAAACTTAAAGGATTA  
CCATCGACCTTCTGTTGAAGAAATCTTGAGAACCCTTTAATAGCAGATTTGGTTGCAGACGAGCAAAGA  
AGAAATCTTGAGAGAAGGGCGACAATTAGGAGAGCCAGAAAAATCGCAGGATTCAGCCCTGTATTGA  
GTGAGCTGAAACTGAAGGAAATTCAGTTACAGGAGCGAGAGCTCTCAAAGCAAGAGAAGAAAGATT  
GGAGCAGAAAGAACAGGAGCTTTGTGTTGTTGAGAGACTAGCAGAGGACAAACTGGCTAGAGCAGAAAAAT  
CTGTTGAAGAACTACAGCTTGCTAAAGGAACGGAAGTTCTGTCTCTGGCAAGTAATCCAGAGTCTCACT  
TTGTTGCCAGGCTGGAATGCAGTGGTGTGATCACAGCTCAATG

**ACGCGT**ACGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC233949 representing NM\_001204182  
Red=Cloning site Green=Tags(s)

MPSRAEDYEVLYTIGTGSYGRCQKIRRKSDGKILVWKELDYGSMTAEKQMLVSEVNLRLRELKHPNIVRY  
 YDRIIDRTNTTL YIVMEYCEGGDLASVITKGTKERQYLDEEFVLRVMTQLTLALKECHRRSDGGHTVLHR  
 DLK PANVFLDGKQNVKLGDFGLARILNHDT SFAKTFVGT PYYMSPEQMNRMSYNEKSDIWSLGCLLYELC  
 ALMPPFTAFS QKELAGKIREGKFRRIPIRYSDLENEIITRMLNLKDYHRPSVEEILENPLIADLVADEQR  
 RNLERRGRQLGEPEKSQDSSPVLSELKLEIQLQERERALKAREERLEQKEQELCVRERLAEDKLARAEN  
 LLKNYSLLKERKFLSLASNPESHFVAQAGMQWCDHSSM

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:**

SgfI-MluI

**Cloning Scheme:**

Cloning sites used for ORF Shuttling:



\* The last codon before the Stop codon of the ORF

**ACCN:** NM\_001204182

**ORF Size:** 1164 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:**

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

**RefSeq:** [NM\\_001204182.1](#), [NP\\_001191111.1](#)

**RefSeq Size:** 1750 bp

**RefSeq ORF:** 1167 bp

**Locus ID:** 4751

**UniProt ID:** [P51955](#)


**Cytogenetics:** 1q32.3

**Protein Families:** Druggable Genome, Protein Kinase

**MW:** 45.7 kDa

**Gene Summary:** This gene encodes a serine/threonine-protein kinase that is involved in mitotic regulation. This protein is localized to the centrosome, and undetectable during G1 phase, but accumulates progressively throughout the S phase, reaching maximal levels in late G2 phase. Alternatively spliced transcript variants encoding different isoforms with distinct C-termini have been noted for this gene. [provided by RefSeq, Feb 2011]

### Product images:



Circular map for RC233949