

Product datasheet for **RC234850**

APLP2 (NM_001243299) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	APLP2 (NM_001243299) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	APLP2
Synonyms:	APLP-2; APPH; APPL2; CDEBP
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC234850 representing NM_001243299
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGCTGCGAGCCCGGGGAGCTCCCGCGCCAGGCCGCCCGCTGCTCCCTCTGCCGCTGGGGCCGGGTC
 GCGGACGCGCATTTTTTAAGTGGCGCTGTTTGCCTGCGTCCGTAGACCGAGGAAAACCGCTCTGGGCTCT
 TGCAGCCAATGCCGGAACAGGATTTGCTGTTGCTGAGCCTCAAATCGCAATGTTTTGTGGGAAGTTAAAT
 ATGCATGTGAACATTCAGACTGGGAAATGGGAACCTGATCCAACAGGCACCAAGAGCTGCTTTGAAACAA
 AAGAAGAAGTTCTTCAGTACTGTCAGGAGATGTATCCAGAGCTACAGATCACAATGTGATGGAGGCAAA
 CCAGCGGGTTAGTATTGACAACCTGGTCCCGAGGGACAAAAGCAATGCAAGAGTCGCTTTGTTACACCT
 TTCAAGTGTCTCGTGGTGAATTTGTAAGTGTGTCTGCTAGTCCAGAAAAGTCCAGTTTTTCCACA
 AAGAGCGGATGGAGGTGTGTGAGAATCACCAGCACTGGCACACGGTAGTCAAAGAGGCATGTCTGACTCA
 GGAATGACCTTATATAGCTACGGCATGCTGCTCCCATGTGGGTAGACCAGTTCATGGCACTGAATAT
 GTGTGCTGCCCTCAGACAAAGATTATTGGATCTGTGTCAAAGAAGAGGAAGAGGAAGATGAAGAGGAAG
 AGGAAGAGGAAGATGAAGAGGAAGACTATGATGTTTATAAAAAGTGAATTTCTACTGAAGCAGATCTGGA
 AGACTTACAGAAGCAGCTGTGGATGAGGATGATGAGGATGAGGAAGAAGGGGAGGAAGTGGTGGAGGAC
 CGAGATTACTACTATGACACCTTCAAAGGAGATGACTACAATGAGGAGAAATCCTACTGAACCCGGCAGCG
 ACGGCACCATGTCAGACAAGGAAATTAATCATGATGTCAAAGCTGTCTGCTCCAGGAGGCGATGACGGG
 GCCCTGCCGGGCCGTGATGCCTCGTTGGTACTTCGACCTTCCAAGGGAAAGTGGTGGCCTTTATATAT
 GGTGGCTGCGGCGCAACAGGAACAATTTGAGTCTGAGGATTATTGTATGGCTGTGTGTAAGCGATGA
 TTCCTCCAATCCTCTGCCAACCAATGATGTTGATGTGATTTTCGAGACCTCTGCAGATGATAATGAGCA
 TGCTCGCTTCCAGAAGGCTAAGGAGCAGCTGGAGATTCCGCACCCGAACCGAATGGACAGGGTAAAGAAG
 GAATGGGAAGAGGCAGAGCTTCAAGCTAAGAACCTCCCAAGCAGAGAGGCAGACTCTGATTCAGCACT
 TCCAAGCCATGGTTAAAGCTTTAGAGAAGGAAGCAGCCAGTGAGAAGCAGCAGCTGGTGGAGACCCACCT
 GGCCCCGAGTGGAAGCTATGCTGAATGACCGCCGTCGGATGGCTCTGGAGAACTACCTGGCTGCCTTGCA
 TCTGACCCGCCACGGCCTCATCGCATTCTCCAGGCCTTACGGCCTTATGTCGGTGTGAGAACAAAGATC
 GCTTACATACCATCCGTCATTACCAGCATGTGTTGGCTGTTGACCCAGAAAAGGGCGCCAGATGAAATC
 CCAGGTGATGACACATCTCCACGTGATTGAAGAAAAGGAGGAACCAAGCCTCTCTGCTCTACAAAGTA
 CCTTATGTAGCCAAGAAATTAAGAGGAAATGATGAGCTCCTCAGGAGCAGCGTGCAGATATGGACC
 AGTTCACTGCCTCAATCTCAGAGACCCCTGTGGACGTCGGGTGAGCTCTGAGGAGAGTGAGGAGATCCC
 ACCGTTCCACCCCTTCCACCCCTTCCAGCCCTACCTGAGAACGAAGGATCTGGAGTGGGAGAGCAGGAT
 GGGGGACTGATCGGTGCCGAAGAGAAAGTATTAACAGTAAGAATAAAGTGGATGAAAACATGGTCATTG
 ACGAGACTCTGGATGTTAAGGAAATGATTTTCAATGCCGAGAGAGTTGGAGGCCTCGAGGAAGAGCGGGA
 ATCCGTGGGCCCACTGCGGGAGGACTTCAGTCTGAGTAGCAGTGTCTCATTGGCCTGCTGGTATCGCA
 GTGGCCATTGCCACGGTCATCGTCATCAGCCTGGTGTGCTGAGGAAGAGGCAGTATGGCACCATCAGCC
 ACGGGATCGTGGAGGTTGATCCAATGCTCACCCAGAAGAGCGTACCTGAACAAGATGCAGAACCATGG
 CTATGAGAACCCACCTACAAATACCTGGAGCAGATGCAGATT

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC234850 representing NM_001243299
 Red=Cloning site Green=Tags(s)

MLRAPGELPRQAARCSLCRLGPGRGRAFFKWRCLPASVDRGNPLWALAANAGTGFVAEPQIAMFCGKLN
 MHVNIQTGWEPDPTGTKSCFETKEEVLQYQCQEMYPELQITNVMEANQRVSIQWCRDRKQCKSRFVTP
 FKCLVGEFVSDVLLVPEKCQFFHKERMEVCENHQHWHTVVKEACLQGMTLYSYGMLLPCGVDQFHGTEY
 VCCPQTKIIGSVSKEEEEEEEEEDEEEDYDVKSEFPTEADLEDFTEAAVDEDEDEEEGEEVVED
 RDYYYDTFKGDDYNEENPTEPGSDGTMSDKEITHDVKAVCSQEAMTGPCRAVMRWYFDLSKGKCVRFIY
 GGCGGNRNRFESDYCMAVCKAMIPPTPLPTNDVDVYFETSADDNEHARFQKAKEQLEIRHRNRMDRVKK
 EWEEAELQAKNLPKAERQTLIQHFQAMVKALEKAASEKQQLVETHLARVEAMLNDRRRMALENYLAALQ
 SDPPRPHRILQALRRYVRAENKDRDLHTIRHYQHVLAVDPEKAAQMSQVMTHLHVEERRNQLSLLYKV
 PYVAQEIQEEIDELLQEQRADMDQFTASISPTVDVRSSESESEIPPFHFPFHPALPENEGSGVGEQD
 GGLIGAEKVINSKNKVDENMVIDETLDVKEMIFNAERVGGLEEEERSVGPLREDFSLSSALIGLLVIA
 VAIATVIVISLVMRLRKRQYGTISHGIVEVDPMLTPEERHLNKMQNHGYENPTYKYLEQMQI

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001243299

ORF Size: 2283 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001243299.1](#), [NP_001230228.1](#)

RefSeq Size: 3709 bp

RefSeq ORF: 2286 bp

Locus ID: 334

UniProt ID: [Q06481](#)


Cytogenetics: 11q24.3

Protein Families: Druggable Genome, Transmembrane

MW: 87.7 kDa

Gene Summary: This gene encodes amyloid precursor- like protein 2 (APLP2), which is a member of the APP (amyloid precursor protein) family including APP, APLP1 and APLP2. This protein is ubiquitously expressed. It contains heparin-, copper- and zinc- binding domains at the N-terminus, BPTI/Kunitz inhibitor and E2 domains in the middle region, and transmembrane and intracellular domains at the C-terminus. This protein interacts with major histocompatibility complex (MHC) class I molecules. The synergy of this protein and the APP is required to mediate neuromuscular transmission, spatial learning and synaptic plasticity. This protein has been implicated in the pathogenesis of Alzheimer's disease. Multiple alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Aug 2011]

Product images:



Circular map for RC234850

