

Product datasheet for **RC234915**

TLR10 (NM_001195106) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	TLR10 (NM_001195106) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	TLR10
Synonyms:	CD290
Mammalian Cell Selection:	Neomycin
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)



[View online »](#)

ORF Nucleotide Sequence:

>RC234915 ORF sequence
 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTGACTGGATCCGGTACCGAGGAGATCTGCC
 GCC**CGGATCGCC**

ATGAGACTCATCAGAAACATTTACATATTTTGTAGTATTGTTATGACAGCAGAGGGTGATGCTCCAGAGC
 TGCCAGAAGAAAGGGAACCTGATGACCAACTGCTCCAACATGTCTCTAAGAAAGGTTCCCGCAGACTTGAC
 CCCAGCCACAACGACACTGGATTTATCCTATAACCTCCTTTTTCAACTCCAGAGTTCAGATTTTCTATTCT
 GTCTCCAAACTGAGAGTTTTGATTCTATGCCATAACAGAATTCAACAGCTGGATCTCAAAACCTTTGAAT
 TCAACAAGGAGTTAAGATATTTAGATTTGTCTAATAACAGACTGAAGAGTGAACCTGGTATTTACTGGC
 AGGTCTCAGGTATTTAGATCTTTCTTTAATGACTTTGACACCATGCCTATCTGTGAGGAAGCTGGCAAC
 ATGTCACACCTGGAAATCCTAGGTTGAGTGGGGCAAAAATACAAAATCAGATTTCCAGAAAATGCTC
 ATCTGCATCTAAATACTGTCTTCTTAGGATTCAGAACTCTTCTCATTATGAAGAAGGTAGCCTGCCCAT
 CTTAAACACAACAAAACCTGCACATTGTTTTACCAATGGACACAAAATTTCTGGGTTCTTTGCGTGATGGA
 ATCAAGACTTCAAAAATATTAGAAATGACAAATATAGATGGCAAAAGCCAATTTGTAAGTTATGAAATGC
 AACGAAATCTTAGTTTAGAAAATGCTAAGACATCGGTTCTATTGCTTAATAAAGTTGATTTACTCTGGGA
 CGACCTTTTCTTATCTTACAATTTGTTGGCATAACATCAGTGGAACTTTTCAGATCCGAAATGTGACT
 TTTGGTGGTAAGGCTTATCTTGACCACAATTCATTTGACTACTCAAACTGTAATGAGAACTATAAAAT
 TGGAGCATGTACATTTAGAGTGTTTTACATTCACAGGATAAAATCTATTTGCTTTTGACCAAAATGGA
 CATAGAAAACCTGACAAATCAAATGCACAAATGCCACACATGCTTTCCCGAATTATCTACGAAATTC
 CAATATTTAAATTTTCCCAATAATCTTAACAGACGAGTTGTTTAAAGAACTATCCAATGCCTCACT
 TGAAGAACTCTCATTGTAATGGCAATAAACTGGAGACACTTTCTTTAGTAAGTTGCTTTGCTAACACAC
 ACCCTTGGAACTTGGATCTGAGTCAAAATCTATTACAACATAAAAATGATGAAAATGCTCATGGCCA
 GAAACTGTGGTCAATATGAATCTGTCATACAATAAATTGCTGATTCTGTCTTCAGGTGCTTGCCAAAA
 GTATTCAAATACTTGACCTAAATAATAACCAAAATCCAACCTGTACCTAAAGAGACTATTCATCTGATGGC
 CTTACGAGAACTAAATATTGCATTTAATTTCTAACTGATCTCCCTGGATGCAGTCATTTAGTAGACTT
 TCAGTTCTGAACATTGAAATGAACTTCATCTCAGCCATCTCTGGATTTGTTTCAGAGCTGCCAGGAAG
 TTAAGAACTCTAAATGCGGAAGAAATCCATTCCGGTGTACCTGTGAATAAAAAATTTTATTAGCTTGA
 AACATATTCAGAGGTCATGATGGTTGGATGGTCAGATTCATACACCTGTGAATACCCTTTAAACCTAAGG
 GGAAGTAAAGACGTTTCTCCACGAATTATCTTGCAACACAGCTCTGTTGATTGTCACCATTG
 TGGTTATTATGCTAGTTCTGGGGTTGGCTGTGGCCTTCTGCTGTCTCCACTTTGATCTGCCCTGGTATCT
 CAGGATGCTAGGTCAATGCACACAACATGGCACAGGGTTAGGAAAACAACCAAGAACAACCTCAAGAGA
 AATGTCCGATTCCACGCATTTATTTTATACAGTGAACATGATTCTCTGTGGGTGAAGATGAATTGATCC
 CCAATCTAGAGAAGGATGGTTCTAATCTGATTTGCTTTATGAAAGCTACTTTGACCCTGGCAAAAAG
 CATTAGTGAATAATTGTAAGCTTCATTGAGAAAAGCTATAAGTCCATCTTTGTTTTGTCTCCCACTTT
 GTCCAGAATGAGTGGTGCATTATGAATCTACTTTGCCACCACAATCTCTCCATGAAAATTTCTGATC
 ATATAATCTTACTTACTGGAACCCATCCATCTATTGATTCCACCAGGTATCATAAACTGAAAGC
 TCTCTGGAAAAAAGCATACTTGAATGGCCCAAGGATAGGCGTAAATGTGGGCTTTTCTGGGCAAC
 CTTGAGCTGCTATTAATGTTAATGTATTAGCCACCAGGAAATGTATGAACTGCAGACATTCACAGAGT
 TAAATGAAGAGTCTCGAGTTCTACAATCTCTCTGATGAGAACAGATTGTCTA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
 ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC234915 protein sequence
Red=Cloning site Green=Tags(s)


MRLIRNIYIFCSIVMTAEGDAPELPEERELMTNCSNMSLRKVPADLTPATTTLDLSYNLLFQLQSSDFHS
VSKLRVLILCHNRIQQDLKTFEFNKELRYLDLNNRLKSVTWYLLAGLRYLDLDFNDFDFTMPICEEAGN
MSHLEILGLSGAKIQKSDFKIAHLHLNTVFLGFRTLPHYEEGSLPILNTTKLHIVLPMDTNFWLLRDG
IKTSKILEMTNIDGKSQFVSYEMQRNLSLENAKTSVLLLNKVDLLWDDLFLILQFVWHTSVEHFQIRNVT
FGGKAYLDHNSFDYSNTVMRTIKLEHVHFRVFIQQDKIYLLLTAKMDIENLTISNAQMPHMLFPNYPTKF
QYLNFAANNILTDELFKRTIQLPHLKTILNGNKLETLSLVSCFANNTPLEHLDLSQNLQHKNDENCSWP
ETVVMNLSYNKLSDSVFRCLPKSIQILDNNNQIQTPKETIHLMALRELNIAFNFLTDLPGCSHF SRL
SVLNIEMNFILSPSLDFVQSCQEVKTLNAGRNPFRCTCELKNFIQLETYSEVMVWSDSYTCEYPLNLR
GTRLKDVHLHELSCNTALLIVTIVVIMLVGLAVAFCLHFDLPWYLRMLGQCTQTWHRVKTQEQ LKR
NVRFHAFISYSEHDSLWKNELIPNLEKEDGSILICLYESYFDPGKSIENIVSFIKSYKSI FVLSPNF
VQNEWCHYEFYFAHNLFHENDHIIILILEPIPFYCIPTRYHKLKALLEKKAYLEWPKDRRKCGLFWAN
LRAAINVNVLATREMYELQTFTELNEESRGSTISLMRTDCL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6688_c10.zip

Restriction Sites: Sgfl-Mlul

Cloning Scheme:



ACCN: NM_001195106

ORF Size: 2433 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method:

1. Centrifuge at 5,000xg for 5min.
2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
3. Close the tube and incubate for 10 minutes at room temperature.
4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.

RefSeq: [NM_001195106.1](#), [NP_001182035.1](#)

RefSeq Size: 3801 bp

RefSeq ORF: 2436 bp

Locus ID: 81793

UniProt ID: [Q9BXR5](#)


Cytogenetics: 4p14

Protein Families: Druggable Genome, Transmembrane

MW: 94.6 kDa

Gene Summary: The protein encoded by this gene is a member of the Toll-like receptor (TLR) family which plays a fundamental role in pathogen recognition and activation of innate immunity. TLRs are highly conserved from *Drosophila* to humans and share structural and functional similarities. They recognize pathogen-associated molecular patterns (PAMPs) that are expressed on infectious agents, and mediate the production of cytokines necessary for the development of effective immunity. The various TLRs exhibit different patterns of expression. This gene is most highly expressed in lymphoid tissues such as spleen, lymph node, thymus, and tonsil. Multiple alternatively spliced transcript variants which encode different protein isoforms have been found for this gene. [provided by RefSeq, Aug 2010]

Product images:



Circular map for RC234915