

Product datasheet for RC235051

ANO6 (NM_001204803) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: ANO6 (NM_001204803) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: ANO6

Synonyms: BDPLT7; SCTS; TMEM16F

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)


Sgfl-Mlul

E. coli Selection: Kanamycin (25 ug/mL)

Restriction Sites: Cloning Scheme:

Cloning sites used for ORF Shuttling:





GAT CTG GCA GCA AAT GAT ATC CTG GAT TAC AAG GAT GAC GAC GAT AAG GTT TAA ACGCCCGGCC

D L A A N D I L D Y K D D D K V stop

ACCN: NM_001204803

ORF Size: 2793 bp



OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com

^{*} The last codon before the Stop codon of the ORF

ANO6 (NM_001204803) Human Tagged ORF Clone - RC235051

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

Note: Plasmids are not sterile. For experiments where strict sterility is required, filtration with

0.22um filter is required.

RefSeq: <u>NM 001204803.2</u>

 RefSeq Size:
 6196 bp

 RefSeq ORF:
 2796 bp

 Locus ID:
 196527

 UniProt ID:
 Q4KMQ2

Protein Families: Transmembrane

12q12

MW: 108.9 kDa

Cytogenetics:

Gene Summary: This gene encodes a multi-pass transmembrane protein that belongs to the anoctamin

family. This protein is an essential component for the calcium-dependent exposure of phosphatidylserine on the cell surface. The scrambling of phospholipid occurs in various


biological systems, such as when blood platelets are activated, they expose

phosphatidylserine to trigger the clotting system. Mutations in this gene are associated with Scott syndrome. Alternatively spliced transcript variants encoding different isoforms have

been found for this gene.[provided by RefSeq, Mar 2011]



Product images:



Circular map for RC235051