

## Product datasheet for RC235153

### ASC 2 (NCOA6) (NM\_001242539) Human Tagged ORF Clone

#### Product data:

Product Type:	Expression Plasmids
Product Name:	ASC 2 (NCOA6) (NM_001242539) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	NCOA6
Synonyms:	AIB3; ASC2; NRC; PRIP; RAP250; TRBP
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC235153 representing NM_001242539 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGGTTTTGGATGACCTTCCAACTTAGAAGACATCTATACTTCCTTGTGTTTCATCAACAATGGAAGACT  
CAGAGATGGATTTGACTCTGGACTAGAAGATGATGACACAAAAGTGATAGTATTTGGAGGATCCAC  
AATTTTGTGGCCTTCAAAGGAAATATAGATGATAAAGACTTCAAATGGAATTAGATGCAATATTGAAA  
AACGTGCCCAATTTGTTACACATGGAGTCCAGCAAGCTAAAAGTACAGAAGGTGGAGCCCTGGAACAGCG  
TGCGTGTGACATTCAACATCCCCCGGAAGCAGCGGAGCGGCTACGGATCCTTGCTCAGAGCAACACCA  
GCAGCTTCGGGATTTAGGGATTCTCCTGTTGAGATTGAAGGGGAAGGTGCTATTAACCTGGCTTTGGCT  
CAGAACCAGCAAGCAAGATGTGAGAATGAATGGACCCATGGGAGCTGGAATTCAGTTAGGATGGAGGCGG  
GATTTCTATGGCAAGTGGTCCAGGAATAATAAGGATGAACAACCTGCCACTGTTATGATACCCCCGGG  
TGGAAATGTGTCATCTTCCATGATGGCACCAGGCCCAATCCAGAGCTGCAGCCCAGGACTCCTCGCCCT  
GCTTCTCAGTCAGATGCAATGGATCCACTCCTCTCTGGGCTCCATATACAGCAGCAAAGTCACTCCCTCAG  
GATCTTTAGTCCCCACATCACCAATGCAGCCTGTCTCTGTGAACAGACAAATGAACCCAGCTAATTT  
TCCCCAGCTGCAGCAGCAGCAACAACAACAACAGCAGCAGCAGCAGCAGCAGCAACAACAGCAA  
CAGCAGCAACAACAGTTGCAGGCAAGACCCCCACAGCAACATCAGCAGCAACAGCCACAGGGAATTCGAC  
CCCAGTTTACTGCCCAACTCAGGTGCCTGTTCTCCAGGCTGGAACCAGCTGCCTTCTGGAGCCCTTCA  
ACCTCCTCAGCCAGGGTTCTCTGGGCACAATGACTGCAAACCAAGGGTGAAGAAGGCTCCCTTGCCC  
GGCCCAATGCAACAGCAACTCCAGGCAAGACCATCCTTAGCCACGGTACAGACGCCTTCCCACCTCCCC  
CTCCATATCCCTTTGGCAGCCAGCAAGCCTCACAAGCCCACAAAACCTTCTCAGATGAGCAACCCAGG  
CCAGTTCACAGCTCCTCAGATGAAGAGTTGCAGGGAGGGCCCTTAGGGTCCCAACTCCCTTGCAGCAG  
CCCCACCTCACCAACAAGTCTCCTGCCTCCTCACCTCCTCCTTCCAGCAGGGATCCCCTGCATCCTCCC  
CAACGGTTAACCAAACTCAGCAGCAGATGGGACCAAGGCCACCTCAAAATAACCCACTTCCCAGGGATT  
TCAGCAGCTGTGAGCTCTCCGGTTCGGAATCCTATGGTTCAACAGGGAATGTGCCACCTAACTTCATG  
GTGATGCAGCAGCAACCACCAACCAGGGGCCACAGAGTTACATCCAGGCTTAGGAGGAATGCCTAAAC



[View online >](#)

GCCTCCCACCTGGCTTCTCAGCAGGACAGGCCAATCCGAACTTTATGCAAGGTCAGGTGCCTTCGACCAC  
 AGCAACCACCCCTGGGAATTCAGGAGCCCTCAGCTGCAAGCAAATCAAATGTCCAGCATGCAGGTGGT  
 CAAGGAGCTGGTCTCTCAAACCAGATGCAGGTGCCACGGGCCGCAAATATGATGCAGCCAGCC  
 TCATGGGAATTCATGGCAACATGAACAATCAGCAGGCTGGTACTTCTGGGGTTCTCAAGTGAACCTCAG  
 CAACATGCAAGGCCAGCCCCAGCAGGGCCACCATCTCAGCTGATGGGCATGCACCAGCAAATCGTGCC  
 TCCCAGGGCCAGATGGTCCAGCAACAAGGAACCTTGAACCCTCAGAACCCTATGATCCTTTCAAGGGCC  
 AGCTTATGCCACAGGGCCAGATGATGGTGAACCCCGAGCCAAAATCTTGGGCCCTCGCCCCAAAGGAT  
 GACCCCAACCAAGCAGATGCTTTCCAGCAGGGCCCAAAATGATGGCGCCACATAACCAGATGATGGGG  
 CCTCAGGGCCAGTTTTGCTCCAACAGAACCCTAATGATAGAGCAGATTATGACCAATCAAATGCAGGGGA  
 ATAAGCAGCAGTTAACACTCAGAACAGTCCAATGTCATGCCGGGACCAGCCAGATAATGAGGGGACC  
 AACTCCAAACATGCAAGGAAATATGGTGCAGTTTACGGGACAGATGTCAGGACAGATGCTCCCCAGCAA  
 GGGCTGTGAACAACAGTCCATCTCAGGTTATGGGCATTCAGGGACAGGTCTCGGGCCACCAGGGCCCA  
 GCCCACACATGGCCAGCAGCATGGTATCCTGCTACTACAGCAAATAACGATGTCAGTTTATCTCAGAT  
 GATGCCTGATGTTAGCATTCAACAAACCAACATGGTCCCCCTCATGTGCAGGCCATGCAGGAAACAGT  
 GCCTCGGGAACCACTTCTCAGGCCATGGGATGTCTTTCAATGCACCTTTCAGTGGAGCTCCAATGGAA  
 ATCAGATGTCCTGTGGTCAAATCCAGGCTTCCAGTCAATAAGGATGTCACGCTAACGAGCCCATTTGTT  
 GGTCAACTTATTGCAGAGTGACATATCTGCAGGCCATTTTGGGGTAAACAATAAGCAAATAATACCAAC  
 GCAAATAAACCGAAGAAGAAGAAACCCCTCGGAAGAAGAAAATAGTCAGCAAGATCTAAACACCCAG  
 ATACTCGCCAGCTGGTCTGGAAGAGGCTGATCAGCCACCGTTGCCTGGAGAACAAGGAATTAACCTGGA  
 TAACTCAGGCCCTAAACTGCCAGAAATTTCAAACCGGCCACCAGCCCGTCGAGAAATTTAGTCTCAAAG  
 GAAACTTCAACCACAGCACTGCAGGCCTCTGTTGCCAGACCAGAGCTGGAGGTAATGCTGCCATAGTCT  
 CTGGACAAAGCAGTGAGCCAAAGAGATAGTTGAAAAGTCAAATCCCAGGCCGAAGAAACTCCCGAAC  
 TGAAGACCAACTGTGGCCTCTGAAAGTGTGAAAATGGACATCGTAAACGATCTTCTCGACTGCTTCA  
 GCCTCCAGCTCTACTAAGACATAACCAGTGCAGTGCATCCAAGCGAAGAAAATCCAAG

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
 ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:**

>RC235153 representing NM\_001242539

Red=Cloning site Green=Tags(s)


MVLDDLPLEDIYTSLCSSTMEDSEMFDFSGLEDDDTKSDSILEDSTIFVAFKGNIDDKDFKWLDAILK  
 NVPNLLHMESSLKVQKVEPWNSVRVTFNIPREAAERLRILAQSNNQQLRDLGILSVQIEGEGAINLALA  
 QNRSQDVRMNGPMGAGNSVRMEAGFPMASGPGIIRMNPNATVMIPPGNVSSMMAPGPNPELQPRTPRP  
 ASQSDAMDPLL SGLHIQQQSHPSGSLAPPHHPMPVSVNRQMNPNANFPQLQQQQQQQQQQQQQQQQQQ  
 QQQQLQARPPQQHQQQPQGIROPFTAPTQVPVPPGWNQLPSGALQPPPAQGLTMTANQGKKAPLP  
 GPMQQQLQARPSLATVQTPSHPPPPYPFGSQQASQAHTNFPQMSNPGQFTAPQMKSLQGGP SRVPTPLQQ  
 PHLTNKSPASSPSSFPQQSPASSPTVNQTQQQMGRPPQNNPLPQGFQQPVSSPGRNPMVQQGNVPPNFM  
 VMQQPPNQGPQSLHPGLGGMPKRLPPGF SAGQANPNFMQGVPSSTATTTPGNSGAPQLQANQNVQHAGG  
 QGAGPPQNMQVSHGPPNMMQPSLMIHGMNMQAGTSGVPQVNL SNMQGPPQQGPPS QLMGMHQQIVP  
 SQGQM VQQGTLNPQNMILSRAQLMPQGMMVNPPSQNLGSPQRMTPPKQMLSQGGPQMMA PHNQMMG  
 PQGQVLLQQNPMIEQIMTNMQGNKQQFNTQNSVMPGPAQIMRGPTPNMQGNMVQFTGMQSGMLPQQ  
 GPVNNSPSQVMGIQGVLRPPGPSPHMAQQHGDPAATTANNDVSLSQMMPDVSIQQTNMVPVPHVQAMQNS  
 ASGNHFSHGMSFNAPFSGAPNGNQMSCGNPFGFPVNKDVLTLSPLL VNLQSDISAGHFGVNNKQNNNTN  
 ANPKKKKPPRKKKNSQQDLNTPDTRPAGLEEADQPPLPGEQGINLDNSGPKLPEFSNRPPAPSQNLVSK  
 ETSTTALQASVARPELEVNAAI VSGQSSEPKIEVEKSKIPGRRNSRTEPTVASESVENHRKRSSRPAS  
 ASSSTKDITSAVQSKRRKSK

TRTRPLEQKLI SEEDLAANDILDYKDDDDKV


**Restriction Sites:**

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM\_001242539

ORF Size: 3210 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001242539.2</a>
<b>RefSeq Size:</b>	4092 bp
<b>RefSeq ORF:</b>	3213 bp
<b>Locus ID:</b>	23054
<b>UniProt ID:</b>	<a href="#">Q14686</a>
<b>Cytogenetics:</b>	20q11.22
<b>Protein Families:</b>	Druggable Genome, Transcription Factors
<b>MW:</b>	115.8 kDa
<b>Gene Summary:</b>	<p>The protein encoded by this gene is a transcriptional coactivator that can interact with nuclear hormone receptors to enhance their transcriptional activator functions. This protein has been shown to be involved in the hormone-dependent coactivation of several receptors, including prostanoid, retinoid, vitamin D3, thyroid hormone, and steroid receptors. Alternatively spliced transcript variants encoding different isoforms have been described for this gene. [provided by RefSeq, Jun 2011]</p>