

Product datasheet for RC235434

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

OriGene Technologies, Inc.

DYNLRB1 (NM_001281728) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DYNLRB1 (NM_001281728) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: DYNLRB1

Synonyms: BITH; BLP; DNCL2A; DNLC2A; ROBLD1

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC235434 representing NM_001281728
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

TGCACCAGATAAAGACTATTTCCTGATTGTGATTCAGAATCCAACCGAA

 ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235434 representing NM_001281728

Red=Cloning site Green=Tags(s)

MDNPTTTQYASLMHSFILKARSTVRDIDPQNDLTFLRIRSKKNEIMVAPDKDYFLIVIQNPTE


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001281728

ORF Size: 189 bp



DYNLRB1 (NM_001281728) Human Tagged ORF Clone - RC235434

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001281728.1</u>, <u>NP 001268657.1</u>

20q11.22

 RefSeq Size:
 792 bp

 RefSeq ORF:
 192 bp

 Locus ID:
 83658

 UniProt ID:
 Q9NP97

MW: 7.8 kDa

Cytogenetics:

Gene Summary: This gene is a member of the roadblock dynein light chain family. The encoded cytoplasmic

protein is capable of binding intermediate chain proteins, interacts with transforming growth

factor-beta, and has been implicated in the regulation of actin modulating proteins.

Upregulation of this gene has been associated with hepatocellular carcinomas, suggesting that this gene may be involved in tumor progression. Alternative splicing results in multiple transcript variants. Pseudogenes of this gene have been defined on chromosomes 12 and 18.

[provided by RefSeq, Aug 2013]