

# **Product datasheet for RC235460**

## OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

# Bestrophin 3 (BEST3) (NM\_001282615) Human Tagged ORF Clone

#### **Product data:**

**Product Type:** Expression Plasmids

Product Name: Bestrophin 3 (BEST3) (NM\_001282615) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:BEST3Synonyms:VMD2L3

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC235460 representing NM\_001282615
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

**AGCTTT** 

**ACGCGT**ACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235460 representing NM\_001282615

Red=Cloning site Green=Tags(s)

MFLISSSVHGSDEHGRLLRRTLMRYVNLTSLLIFRSVSTAVYKRFPTMDHVVEAERTGMKPILPSSFEMQ

SF


TRTRPLEQKLISEEDLAANDILDYKDDDDKV


**Restriction Sites:** Sgfl-Mlul






#### **Cloning Scheme:**





<sup>\*</sup> The last codon before the Stop codon of the ORF

## Plasmid Map:



**ACCN:** NM\_001282615

ORF Size: 216 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



## Bestrophin 3 (BEST3) (NM\_001282615) Human Tagged ORF Clone - RC235460

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

**Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

**Reconstitution Method:** 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

**RefSeq:** NM 001282615.2

RefSeq Size: 1848 bp
RefSeq ORF: 219 bp
Locus ID: 144453
UniProt ID: Q8N1M1
Cytogenetics: 12q15

**Protein Families:** Ion Channels: Other, Transmembrane

MW: 8.8 kDa

Gene Summary: BEST3 belongs to the bestrophin family of anion channels, which includes BEST1 (MIM

607854), the gene mutant in vitelliform macular dystrophy (VMD; MIM 153700), and 2 other

BEST1-like genes, BEST2 (MIM 607335) and BEST4 (MIM 607336). Bestrophins are

transmembrane (TM) proteins that share a homology region containing a high content of aromatic residues, including an invariant arg-phe-pro (RFP) motif. The bestrophin genes share a conserved gene structure, with almost identical sizes of the 8 RFP-TM domain-encoding exons and highly conserved exon-intron boundaries. Each of the 4 bestrophin genes has a unique 3-prime end of variable length (Stohr et al., 2002 [PubMed 12032738]; Tsunenari et al.,

2003 [PubMed 12907679]).[supplied by OMIM, Mar 2008]