

Product datasheet for RC235570

BLOC1S2 (NM 001282436) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: BLOC1S2 (NM_001282436) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: BLOC1S2

Synonyms: BLOS2; BORCS2; CEAP; CEAP11

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC235570 representing NM_001282436
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

AGCGA

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235570 representing NM_001282436

Red=Cloning site Green=Tags(s)

MRLPRKSLEVATSEDYKLLENMNKLTSLKYLEMKDIAINISRNLKDLNOKYAGLOPYLDQINVIEEQVAA

LEQAAYKLDAYSKKLEAKYKKLEKR

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001282436

ORF Size: 285 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



BLOC1S2 (NM_001282436) Human Tagged ORF Clone - RC235570

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001282436.1</u>, <u>NP 001269365.1</u>

 RefSeq Size:
 2787 bp

 RefSeq ORF:
 288 bp

 Locus ID:
 282991

 Cytogenetics:
 10q24.31

 MW:
 11.6 kDa

Gene Summary: This gene encodes a protein with multiple functions. The encoded protein has been found in

association with the centrosome, shown to co-localize with gamma-tubulin, and also found to be one of the proteins in the BLOC-1 complex which functions in the formation of lysosome-related organelles. A pseudogene of this gene is located on the X chromosome. Alternative

splicing results in multiple transcript variants. [provided by RefSeq, Feb 2012]