

Product datasheet for **RC235577**

FKBP12 (FKBP1A) (NM_001199786) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: FKBP12 (FKBP1A) (NM_001199786) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: FKBP1A
Synonyms: FKBP-1A; FKBP-12; FKBP1; FKBP12; PKC12; PKC12; PPIASE
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC235577 representing NM_001199786
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGGGAGTGCAGGTGAAACCATCTCCCCAGGAGACGGGCGCACCTTCCCAAGCGCGCCAGACCTGCG
TGGTGCCTACACCGATGAGTGTGGGTGAGAGCCAACTGACTATATCTCCAGATTATGCCTATGGTG
CCACTGGGCACCCAGGCATCATCCACCACATGCCACTCTCGTCTCGATGTGGAGCTTCTAAAAGTGA
ATGACAGGAATGGCCTCCTCCCTTAGCTCCCTGTTCTTGGATCTGCCATGGAGGGATCTGGTGCCTCCAG
ACATGTGCACA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235577 representing NM_001199786
Red=Cloning site Green=Tags(s)

MGVQVETISPGDGRTFVKRGQTCVVHYTDECGSESQTDYISRLCLWCHWAPRHHPTTCHSRLRCGASKTG
MTGMASLSSFLDLPLWRDLVPPDMCT


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Plasmid Map:


ACCN: NM_001199786

ORF Size: 291 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001199786.1</u> , <u>NP_001186715.1</u>
RefSeq Size:	1530 bp
RefSeq ORF:	294 bp
Locus ID:	2280
Cytogenetics:	20p13
Protein Families:	Druggable Genome
MW:	11.3 kDa
Gene Summary:	The protein encoded by this gene is a member of the immunophilin protein family, which play a role in immunoregulation and basic cellular processes involving protein folding and trafficking. The protein is a cis-trans prolyl isomerase that binds the immunosuppressants FK506 and rapamycin. It interacts with several intracellular signal transduction proteins including type I TGF-beta receptor. It also interacts with multiple intracellular calcium release channels, and coordinates multi-protein complex formation of the tetrameric skeletal muscle ryanodine receptor. In mouse, deletion of this homologous gene causes congenital heart disorder known as noncompaction of left ventricular myocardium. Multiple alternatively spliced variants, encoding the same protein, have been identified. The human genome contains five pseudogenes related to this gene, at least one of which is transcribed. [provided by RefSeq, Sep 2008]