

Product datasheet for RC235769

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

Host cell factor C1 regulator 1 (HCFC1R1) (NM_001288666) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: Host cell factor C1 regulator 1 (HCFC1R1) (NM_001288666) Human Tagged ORF Clone

Tag: Myc-DDK

Symbol: Host cell factor C1 regulator 1

Synonyms: HPIP

Mammalian Cell Neomycin

Selection:

Vector: pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

ORF Nucleotide >RC235769 representing NM_001288666
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GGAGCTC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235769 representing NM_001288666

Red=Cloning site Green=Tags(s)

MILQOPLORGPOGGAORLPRAALGVTWGLDAREPLRKOFLSEENMATHFSOLSLHNDHPYCSPPMTFSPA

LPQLRSPCSELLLWRYPGSLIPEALRLLRLGDTPSPPYPATPAGDIMEL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Chromatograms: https://cdn.origene.com/chromatograms/mk6454 f04.zip


Restriction Sites: Sgfl-Mlul





Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

ACCN: NM_001288666

ORF Size: 357 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001288666.1, NP 001275595.1

 RefSeq Size:
 754 bp

 RefSeq ORF:
 360 bp

 Locus ID:
 54985

UniProt ID: Q9NWW0



Cytogenetics: 16p13.3

Protein Families: Druggable Genome


MW: 13.2 kDa

Gene Summary: Regulates HCFC1 activity by modulating its subcellular localization. Overexpression of

HCFC1R1 leads to accumulation of HCFC1 in the cytoplasm. HCFC1R1-mediated export may provide the pool of cytoplasmic HCFC1 required for import of virion-derived VP16 into the

nucleus.[UniProtKB/Swiss-Prot Function]

Product images:



Circular map for RC235769