

Product datasheet for RC235830

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

C11orf51 (ANAPC15) (NM_001278485) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: C11orf51 (ANAPC15) (NM_001278485) Human Tagged ORF Clone

Tag:Myc-DDKSymbol:ANAPC15

Synonyms:APC15; C11orf51; HSPC020Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC235830 representing NM_001278485
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACAGGATCAGGACCAGTGGATGATC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235830 representing NM_001278485

Red=Cloning site Green=Tags(s)

MSTLFPSLFPRVTETLWFNLDRPCVEETELQQQEQQHQAWLQSIAEKDNNLVPIGKPASEHYDDEEEEDD

EDDEDSEEDSEDDEDMQDMDEMNDYNESPDDGEVNEPPLQVDMEGNEQDQDQWMI

TRTRPLEQKLISEEDLAANDILDYKDDDDK**V**


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001278485

ORF Size: 375 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info



C11orf51 (ANAPC15) (NM_001278485) Human Tagged ORF Clone - RC235830

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001278485.2</u>

 RefSeq Size:
 894 bp

 RefSeq ORF:
 378 bp

 Locus ID:
 25906

 UniProt ID:
 P60006

 Cytogenetics:
 11q13.4

 MW:
 15.2 kDa

Gene Summary: Component of the anaphase promoting complex/cyclosome (APC/C), a cell cycle-regulated E3

ubiquitin ligase that controls progression through mitosis and the G1 phase of the cell cycle. In the complex, plays a role in the release of the mitotic checkpoint complex (MCC) from the APC/C: not required for APC/C activity itself, but promotes the turnover of CDC20 and MCC on the APC/C, thereby participating in the responsiveness of the spindle assembly checkpoint.

Also required for degradation of CDC20.[UniProtKB/Swiss-Prot Function]