

## Product datasheet for **RC235850**

### PHPT1 (NM\_001287342) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** PHPT1 (NM\_001287342) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** PHPT1  
**Synonyms:** CGI-202; HEL-S-132P; HSPC141; PHP; PHP14  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC235850 representing NM\_001287342  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**GCGATCGCC**

ATGGCGGTGGCGGACCTCGCTCTATTCTGATGTGGACATCGACTCCGACGGCGTCTTCAAGTATGTGC  
TGATCCGAGTCCACTCGGCTCCCGCTCCGGGCTCCGGCTGCAGAGAGCAAGGAGATCGTGCGCGGCTA  
CAAGTGGGCTGAGTACCATGGTGAGGCGGACATCTACGACAAAGTGTGGGCGACATGCAGAAGCAAGGC  
TGC GACTGTGAGTGTCTGGGCGGCGGGCGCATCTCCACCAAGTCAAGGACAAGAAGATTACCGTGTACG  
GCTATTCCATGGCCTATGGTCTGCCAGCACGCCATTTCAACTGAGAAAATCAAAGCCAAGTACCCCGA  
CTACGAGGTCACCTGGGCTAACGACGGCTAC

**ACGCGT**ACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC235850 representing NM\_001287342  
Red=Cloning site Green=Tags(s)  
MAVADLALIPDVIDSDGVFKYVLIIRVHSAPRSGAPAAESKEIVRGYKWAIEYHGEADIIYDKVSGDMQKQG  
CDCECLGGGRISHQSQDKKIHVYGYSMAYGPAQHAISTEKIKAKYPDYEVTWANDGY

**TRTRPLEQKLI**SEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-MluI




[View online »](#)

Cloning Scheme:



Plasmid Map:



ACCN:

NM\_001287342

ORF Size:

381 bp

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001287342.2</a>
<b>RefSeq Size:</b>	1205 bp
<b>RefSeq ORF:</b>	384 bp
<b>Locus ID:</b>	29085
<b>Cytogenetics:</b>	9q34.3
<b>Protein Families:</b>	Druggable Genome
<b>Protein Pathways:</b>	Fructose and mannose metabolism, Metabolic pathways, Riboflavin metabolism, Thiamine metabolism
<b>MW:</b>	14.5 kDa
<b>Gene Summary:</b>	This gene encodes an enzyme that catalyzes the reversible dephosphorylation of histidine residues in proteins. It may be involved in the dephosphorylation of G-beta and ATP citrate lyase and in negatively regulating CD4 T lymphocytes by dephosphorylation and inhibition of KCa3.1 channels. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Dec 2013]