

Product datasheet for **RC235851**

SPINLW1 (EPPIN) (NM_001302861) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: SPINLW1 (EPPIN) (NM_001302861) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: EPPIN
Synonyms: CT71; CT72; dj461P17.2; SPINLW1; WAP7; WFDC7
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC235851 representing NM_001302861
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**GCGATCGCC**

ATGGGATCTTCTGGACTTTTGAGCCTCCTGGTCTATTCGTCCTTAGCGAATGTCCAGGGACCTGGTC
TGACTGATTGGTTATTTCCAGGAGATGTCCAAAATCAGAGAAGAATGTGAATCCAAGAAAGGGATGT
GTGTACAAAGGACAGACAATGCCAGGACAACAAGAAGTGTGTCTTCAGCTGCGGAAAAAATGTTTA
GATCTCAAACAAGTCTCTGCAGATGTATGCGAAATGCCAAAAGAACTGGCCCTGCCTGGCTTATTT
TCTTCATTGGTGGTATGACAAGAAAGATAATACTTCTCCATGTTTGTCTATGGTGGCTGCCAGGAAAC
ATAACAACCTCCAATCCAAGCCAAGTCC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC235851 representing NM_001302861
Red=Cloning site Green=Tags(s)

MGSSGLLSLLVLFVLLANVQGPGLTDWLFPRRCPKIREECEVFQERDVCTKDRQCQDNKCCVFSCGKKCL
DLKQVSLQMYAKCQKLLAPAWLIFFIGMTRKIIILAPCLSMVAARETITTSNPKPTA


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Plasmid Map:

ACCN:

NM_001302861

ORF Size:

381 bp

OTI Disclaimer:

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001302861.2
RefSeq Size:	800 bp
RefSeq ORF:	384 bp
Locus ID:	57119
UniProt ID:	O95925
Cytogenetics:	20q13.12
Protein Families:	Secreted Protein
MW:	14.7 kDa
Gene Summary:	<p>This gene encodes an epididymal protease inhibitor, which contains both kunitz-type and WAP-type four-disulfide core (WFDC) protease inhibitor consensus sequences. Most WFDC genes are localized to chromosome 20q12-q13 in two clusters: centromeric and telomeric. This gene is a member of the WFDC gene family and belongs to the telomeric cluster. The protein can inhibit human sperm motility and exhibits antimicrobial activity against E. coli, and polymorphisms in this gene are associated with male infertility. Read-through transcription also exists between this gene and the downstream WFDC6 (WAP four-disulfide core domain 6) gene. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Nov 2014]</p>