

Product datasheet for RC236108

DCTN3 (NM 001281426) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: DCTN3 (NM_001281426) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: DCTN3

Synonyms: DCTN-22; DCTN22

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC236108 representing NM_001281426
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

GTGCTACACTTTGGCCCTACAGGACCAGTGTGTGGAAATCAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC236108 representing NM_001281426

Red=Cloning site Green=Tags(s)

MAGLTDLQRLQARVEELERWVYGPGGARGSRKVADGLVKVQVALGNISSKRERVKILYKKIEDLIKYLDP EYIDRIAIPDASKLQFILAEEQFILSQVALLEQVNALVPMLDSAHIKAVPEHAARLQRLAQIHIQQQFLS

VLHFGPTGPVCGNH

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-Mlul




OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200


CN: techsupport@origene.cn

Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com




Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001281426

ORF Size: 462 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



DCTN3 (NM_001281426) Human Tagged ORF Clone - RC236108

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001281426.2</u>

 RefSeq Size:
 888 bp

 RefSeq ORF:
 465 bp

 Locus ID:
 11258

 UniProt ID:
 075935

 Cytogenetics:
 9p13.3

 MW:
 17.7 kDa

Gene Summary: This gene encodes the smallest subunit of dynactin, a macromolecular complex consisting of

10 subunits ranging in size from 22 to 150 kD. Dynactin binds to both microtubules and cytoplasmic dynein. It is involved in a diverse array of cellular functions, including ER-to-Golgi transport, the centripetal movement of lysosomes and endosomes, spindle formation, cytokinesis, chromosome movement, nuclear positioning, and axonogenesis. This subunit, like most other dynactin subunits, exists only as a part of the dynactin complex. It is primarily an alpha-helical protein with very little coiled coil, and binds directly to the largest subunit (p150) of dynactin. Alternative splicing results in multiple transcript variants. [provided by

RefSeq, Jul 2013]