

Product datasheet for RC236112

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

PRKCBP1 (ZMYND8) (NM_001281769) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: PRKCBP1 (ZMYND8) (NM_001281769) Human Tagged ORF Clone

Tag: Myc-DDK Symbol: ZMYND8

Synonyms:PRKCBP1; PRO2893; RACK7Vector:pCMV6-Entry (PS100001)

E. coli Selection: Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC236112 representing NM_001281769
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC236112 representing NM_001281769

Red=Cloning site Green=Tags(s)

 ${\tt MHPQSLAEEE} ikteqevvegmdistrskdpgsaertaqkrkfpspphssnghspqdtstspikkkkkpgl\\ LNSNNkeqselrhgpfyymkqplttdpvdvvpqdgrndfycwvchregqvlccelcprvyhakclrltse$

PEGDWFCPECEVSS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001281769

ORF Size: 462 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.



PRKCBP1 (ZMYND8) (NM_001281769) Human Tagged ORF Clone - RC236112

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001281769.1</u>, <u>NP 001268698.1</u>

RefSeq Size: 1288 bp
RefSeq ORF: 465 bp
Locus ID: 23613
Cytogenetics: 20q13.12

Protein Families: Druggable Genome, Transcription Factors

MW: 17.9 kDa

Gene Summary: The protein encoded by this gene is a receptor for activated C-kinase (RACK) protein. The

encoded protein has been shown to bind in vitro to activated protein kinase C beta I. In addition, this protein is a cutaneous T-cell lymphoma-associated antigen. Finally, the protein

contains a bromodomain and two zinc fingers, and is thought to be a transcriptional

regulator. Multiple transcript variants encoding several different isoforms have been found

for this gene. [provided by RefSeq, Jul 2008]