

Product datasheet for RC236166

EXOC7 (NM_001282314) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: EXOC7 (NM_001282314) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: EXOC7
Synonyms: 2-5-3p; BLOM4; EX070; EXO70; Exo70p; EXOC1; NEDSEBA; YJL085W
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC236166 representing NM_001282314
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCCGCGATCGCC

ATGATCCCCACAGGAGGCATCCGCTCGACGGCGGGAGATTGAGGACAAGCTGAAGCAGGAGGAGGAGA
CTCTGTCTTCATCCGAGACAGCCTGGAGAAGAGCGACCAGCTCACTAAGAACATGGTGTCTATCTTATC
ATCCTTTGAGAGCCGCTTATGAAGCTGGAGAATCCATCATCCCTGTGCACAAGCAGACGGAGAATCTG
CAGCGGCTGCAGGAGAATGTTGAGAAGACGCTGTCTGCCTGGACCATGTCATCAGCTACTACCATGTGG
CCAGTGACACTGAGAAGATCATCAGAGAGGGCCCCACAGGTAGGCTGGAAGAGTACCTGGGAAGCATGGC
CAAGATTCAGAAGGCAGTGGAGTATTTCCAGGACAACAGCCCAGACAGCCCGGAACCAACAAAGTGGTA
AGGGGTCCGAGAATAACGTGAGAAGCTTGGGGATATCAGTCTCTGCCCTGGTCTCA

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC236166 representing NM_001282314
Red=Cloning site Green=Tags(s)

MIPPQEASARRREIEDKIQEEETLSFIRDSLEKSDQLTKNMVSISSSFESRLMKLENSIIPVHKQTENL
QRLQENVEKTLSCLDHVISYYHVASDTEKIIREGPTGRLEEYLGSMKIQKAVEYFQDNPSPDPELNKVV
RGPQNNVRSLGISVSALVS


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: Sgfl-MluI



[View online »](#)

Cloning Scheme:

Plasmid Map:


ACCN: NM_001282314

ORF Size: 477 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	<u>NM_001282314.2</u>
RefSeq Size:	771 bp
RefSeq ORF:	480 bp
Locus ID:	23265
Cytogenetics:	17q25.1
Protein Families:	Druggable Genome
Protein Pathways:	Insulin signaling pathway
MW:	18.6 kDa
Gene Summary:	The protein encoded by this gene is a component of the exocyst complex. The exocyst complex plays a critical role in vesicular trafficking and the secretory pathway by targeting post-Golgi vesicles to the plasma membrane. The encoded protein is required for assembly of the exocyst complex and docking of the complex to the plasma membrane. The encoded protein may also play a role in pre-mRNA splicing through interactions with pre-mRNA-processing factor 19. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 4. [provided by RefSeq, Nov 2011]