

## Product datasheet for **RC236210**

### TNFAIP8 (NM\_001286815) Human Tagged ORF Clone

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** TNFAIP8 (NM\_001286815) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** TNFAIP8  
**Synonyms:** GG2-1; MDC-3.13; NDED; SCC-S2; SCCS2  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC236210 representing NM\_001286815  
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGATCGCC**

ATGGTGTCCAAATCCATCGCCACCACCTTAATAGACGACACAAGTAGTGAGGTGCTGGATGAGCTCTACA  
GAGTGACCAGGGAGTACACCCAAAACAAGAAGGAGGCAGAGAAGATCATCAAGAACCTCATCAAGACAGT  
CATCAAGCTGGCCATTCTTTATAGGAATAATCAGTTTAATCAAGATGAGCTAGCATTGATGGAGAAATTT  
AAGAAGAAAGTTCATCAGCTTGCTATGACCGTGGTCAGTTCCATCAGGTGGATTATACCTTTGACCGGA  
ATGTGTTATCCAGGCTGTTAAATGAATGCAGAGAGATGCTGCACCAAATCATTACGCGCCACCTCACTGC  
CAAGTCACATGGACGGGTTAATAATGTGTTTATGATCATTTCAGATTGTGAATTTTGGCTGCCTTGAT  
AATCCTTTTGGGAATTTAAACCCCACTTACAAAACTATGTGATGGTATCAACAAAATGTTGGATGAAG  
AGAACATA

**ACGCGT**ACGCGGCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA

**Protein Sequence:** >RC236210 representing NM\_001286815  
Red=Cloning site Green=Tags(s)

MVSKSIATTLIDDTSSSEVLDEL YRVTREYTONKKEAEKIIKNLIKTVIKLAILYRNNQFNQDELALMEKF  
KKKVHQLAMTVVFSFHQVDYTFDRNVL SRLLECREMLHQI IQRHLTAKSHGRVNNVDFHFDCEFLAALY  
NPFGNFKPHLQKLCDGINKMLDEENI


**TR**TRPLEQKLI SEEDLAANDILDYKDDDDKV

**Restriction Sites:** SgfI-MluI



[View online »](#)

**Cloning Scheme:**

**Plasmid Map:**


**ACCN:** NM\_001286815

**ORF Size:** 498 bp

**OTI Disclaimer:** The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

**OTI Annotation:** This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<u><a href="#">NM_001286815.2</a></u>
<b>RefSeq Size:</b>	2135 bp
<b>RefSeq ORF:</b>	501 bp
<b>Locus ID:</b>	25816
<b>UniProt ID:</b>	<u><a href="#">O95379</a></u>
<b>Cytogenetics:</b>	5q23.1
<b>Protein Families:</b>	Druggable Genome
<b>MW:</b>	19.9 kDa
<b>Gene Summary:</b>	Acts as a negative mediator of apoptosis and may play a role in tumor progression. Suppresses the TNF-mediated apoptosis by inhibiting caspase-8 activity but not the processing of procaspase-8, subsequently resulting in inhibition of BID cleavage and caspase-3 activation.[UniProtKB/Swiss-Prot Function]