

Product datasheet for RC236235

OriGene Technologies, Inc. 9620 Medical Center Drive, Ste 200

Rockville, MD 20850, US
Phone: +1-888-267-4436
https://www.origene.com
techsupport@origene.com
EU: info-de@origene.com
CN: techsupport@origene.cn

FRA1 (FOSL1) (NM_001300857) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: FRA1 (FOSL1) (NM_001300857) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: FOSL1

Synonyms: FRA; fra-1; FRA1

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC236235 representing NM_001300857
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

 ACGCGT
 ACGCGT<

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC236235 representing NM_001300857

Red=Cloning site Green=Tags(s)

MFRDFGEPGPSSGNGGGYGGPAQPPAAAQAAQQETDKLEDEKSGLQREIEELQKQKERLELVLEAHRPIC KIPEGAKEGDTGSTSGTSSPPAPCRPVPCISLSPGPVLEPEALHTPTLMTTPSLTPFTPSLVFTYPSTPE

PCASAHRKSSSSSGDPSSDPLGSPTLLAL

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001300857

ORF Size: 507 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

FRA1 (FOSL1) (NM_001300857) Human Tagged ORF Clone - RC236235

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: NM 001300857.2

 RefSeq Size:
 1453 bp

 RefSeq ORF:
 510 bp

 Locus ID:
 8061

 UniProt ID:
 P15407

 Cytogenetics:
 11q13.1

Protein Families: Druggable Genome, Transcription Factors

Protein Pathways: Wnt signaling pathway

MW: 18 kDa

Gene Summary: The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes

encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. Several transcript variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Jul 2014]