

Product datasheet for RC236313

OriGene Technologies, Inc.

9620 Medical Center Drive, Ste 200 Rockville, MD 20850, US Phone: +1-888-267-4436 https://www.origene.com techsupport@origene.com EU: info-de@origene.com CN: techsupport@origene.cn

IPP 2 (PPP1R2) (NM_001291505) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids

Product Name: IPP 2 (PPP1R2) (NM_001291505) Human Tagged ORF Clone

Tag: Myc-DDK
Symbol: PPP1R2

Synonyms: IPP-2; IPP2; PPP1R2A

Vector:pCMV6-Entry (PS100001)E. coli Selection:Kanamycin (25 ug/mL)

Cell Selection: Neomycin

ORF Nucleotide >RC236313 representing NM_001291505
Sequence: Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC

GCCGCGATCGCC

 ACGCGT
 ACGCGT<

ACAAGGATGACGACGATAAGGTTTAA

Protein Sequence: >RC236313 representing NM_001291505 Red=Cloning site Green=Tags(s)

> MAASTASHRPIKGILKNKTSTTSSMVASAEQPRGNVDEELSKKSQKWDEMNILATYHPADKDYGLMKIDE PSTPYHRLAAAEGLEPKYRIQEQESSGEEDSDLSPEEREKKRQFEMKRKLHYNEGLNIKLARQLISKDLH

DDDEDEEMLETADGESMNTEESNQGSTPSDQQQNKLRSS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites: Sgfl-Mlul






Cloning Scheme:





^{*} The last codon before the Stop codon of the ORF

Plasmid Map:



ACCN: NM_001291505

ORF Size: 537 bp

OTI Disclaimer: The molecular sequence of this clone aligns with the gene accession number as a point of

reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing

variants is recommended prior to use. More info

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression

varies depending on the nature of the gene.

ORIGENE

Components: The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube

containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).

Reconstitution Method: 1. Centrifuge at 5,000xg for 5min.

2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.

3. Close the tube and incubate for 10 minutes at room temperature.

4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid

at the bottom.

5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of

shipping when stored at -20°C.

RefSeq: <u>NM 001291505.2</u>

RefSeq Size: 3390 bp
RefSeq ORF: 540 bp
Locus ID: 5504
Cytogenetics: 3q29

Protein Families: Druggable Genome

MW: 20.8 kDa

Gene Summary: Protein phosphatase-1 (PP1) is one of the main eukaryotic serine/threonine phosphatases.

The protein encoded by this gene binds to the catalytic subunit of PP1, strongly inhibiting its activity. Ten related pseudogenes have been found throughout the human genome. Several splice variants encoding different isoforms have been found for this gene. [provided by

RefSeq, Oct 2015]