

Product datasheet for **RC236801**

EIF4EL3 (EIF4E2) (NM_001282958) Human Tagged ORF Clone

Product data:

Product Type:	Expression Plasmids
Product Name:	EIF4EL3 (EIF4E2) (NM_001282958) Human Tagged ORF Clone
Tag:	Myc-DDK
Symbol:	EIF4E2
Synonyms:	4E-LP; 4EHP; EIF4EL3; h4EHP; IF4e
Vector:	pCMV6-Entry (PS100001)
E. coli Selection:	Kanamycin (25 ug/mL)
Cell Selection:	Neomycin
ORF Nucleotide Sequence:	>RC236801 representing NM_001282958 Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGAACAACAAGTTCGACGCTTTGAAAGATGATGACAGTGGGGACCATGATCAGAATGAAGAAAACAGCA
CACAGAAAGATGGTGAGAAGGAAAAACGGAACGAGACAAGAATCAGAGCAGTAGCAAGAGAAAGGCTGT
TGTCCTGGACCGGCAGAGCATCCCTGCAGTACAACTACTTTTTGGTACTCCAGGAGAACCCCGGC
CGTCCCACGAGCTCACAGAGCTATGAACAGAATATCAAACAGATTGGCACCTTTCGCTCTGTGGAGCAGT
TCTGGAGGTTTTATAGCCACATGGTACGTCCTGGGGACCTGACAGGCCACAGTGACTTCCATCTCTTCAA
AGAAGGAATTAACCCATGTGGGAGGATGATGCAAATAAAAAATGGTGGCAAGTGGATTATTCGGCTGCGG
AAGGGCTTGGCTCCCGTTGCTGGGAGAATCTCATTTTGGCCATGCTGGGGGAACAGTTCATGGTTGGG
AGGAGATCTGTGGGGCTGTGGTGTCTGTCCGCTTTCAGGAAGACATTATTTCAATATGGAATAAGACTGC
CAGTGACCAAGCAACCACAGCCGAATCCGGGACACACTTCGGCGAGTGCTTAACCTACCTCCCAACACC
ATTATGGAATACAAAACACACCGACAGCATCAAGGCCTGGGAGGAGTTTCATGGCCTGGTGAACAGCA
GCGGCCGC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC236801 representing NM_001282958
Red=Cloning site Green=Tags(s)

MNNKFDALKDDDSGDHDQNEENSTQKDGEKEKTERDKNQSSSKRKAVVPGPAEHPLQYNYTFWYSRRTPG
 RPTSSQSYEQNIKQIGTFASVEQFWRFYSHMVRPGDLTGHSDFHLFKEGIKPMWEDDANKNGGKWIIRLR
 KGLASRCWENLILAMLGEQFMVGEEICGAVVSVRFQEDIISIWNKTASDQATTARIRDTLRRVNLNPNT
 IMEYKHTHTDSIKAWEEFHGLVNSSGR


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001282958

ORF Size: 708 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001282958.1 , NP_001269887.1
RefSeq Size:	3630 bp
RefSeq ORF:	711 bp
Locus ID:	9470
Cytogenetics:	2q37.1
Protein Families:	Transcription Factors
Protein Pathways:	Insulin signaling pathway, mTOR signaling pathway
MW:	27.7 kDa
Gene Summary:	Recognizes and binds the 7-methylguanosine-containing mRNA cap during an early step in the initiation (PubMed:9582349, PubMed:17368478, PubMed:25624349). Acts as a repressor of translation initiation (PubMed:22751931). In contrast to EIF4E, it is unable to bind eIF4G (EIF4G1, EIF4G2 or EIF4G3), suggesting that it acts by competing with EIF4E and block assembly of eIF4F at the cap (By similarity).[UniProtKB/Swiss-Prot Function]