

Product datasheet for **RC236977**

SLC35B1 (NM_001278784) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: SLC35B1 (NM_001278784) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: SLC35B1
Synonyms: AXER; UGTREL1
Mammalian Cell Selection: Neomycin
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
ORF Nucleotide Sequence: >RC236977 representing NM_001278784
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGATCGCC**

ATGTGTGATCAATGCTGTGTTTGCCAAGATCTGGTGGATCGTACCCGGAGCTGGCTCTATGCTGCCTGTT
CTATCTCCTATCTGGGTGCCATGGTCTCCAGCAATTCAGCACTACAGTTTGTCAACTACCCAACCTCAGGT
CCTTGGTAAATCCTGCAAGCCAATCCCAGTCATGCTCCTGGGGTGACCCTTTGAAGAAGAAGTACCCG
TTGGCCAAGTACCTGTGTGCTGTTAATTGTGGCTGGAGTGGCCCTTTTCATGTACAAACCAAGAAG
TTGTTGGGATAGAAGAACACACAGTCGGCTATGGAGAGCTACTCTTGCTATTATCGCTGACCCTGGATGG
ACTGACTGGTGTTCAGGACCATGCGGGCTCATTACCAAACAGGCTCCAACCACATGATGCTGAAC
ATCAACCTTTGGTCGACATTGCTGCTGGGAATGGGAATCCTGTTCACTGGGGAGCTCTGGGAGTTCTTGA
GCTTTGCTGAAAGGTACCCTGCCATCATCTATAACATCCTGCTCTTTGGGCTGACCAGTGCCTGGGTCA
GAGCTTCATCTTTATGACGGTTGTATTTTGGTCCCCTGACCTGCTCCATCATCACTACAACCTCGAAAG
TTCTTCACAATTTGGCCTCTGTGATCCTCTCGCCAATCCCATCAGCCCCATGCAGTGGGTGGGCACTG
TGCTTGTGTTCTGGGTCTTGGTCTTGATGCCAAGTTGGGAAAGGAGCTAAGAAGACATCCAC

ACGCGTACGCGGCCGCTCGAGCAGAAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC236977 representing NM_001278784
 Red=Cloning site Green=Tags(s)

MCDQCCVCQDLVDRTRSWLYAACSISYLGAMVSSNSALQFVNYPTQVLGKSCPKIPVMLLGVTLLKKKYP
 LAKYLCVLLIVAGVALFMYKPKKVVGIEEHTVGYGELLLLLSLTLDGLTGVSQDHMRAHYQTGSNHMMLN
 INLWSTLLLGMGILFTGELWEFLSFAERYPAIIYNILLFGLTSALGQSFIFMTVVYFGPLTCSIITTRK
 FFTILASVILFANPISPMQWVGTVLVFLGLGLDAKFGKGAKKTS

TRTRPLEQKLISEEDLAANDILDYKDDDDKV

Restriction Sites: SgfI-MluI

Cloning Scheme:

Cloning sites used for ORF Shuttling:



* The last codon before the Stop codon of the ORF

ACCN: NM_001278784

ORF Size: 765 bp


OTI Disclaimer: Due to the inherent nature of this plasmid, standard methods to replicate additional amounts of DNA in E. coli are highly likely to result in mutations and/or rearrangements. Therefore, OriGene does not guarantee the capability to replicate this plasmid DNA. Additional amounts of DNA can be purchased from OriGene with batch-specific, full-sequence verification at a reduced cost. Please contact our customer care team at custsupport@origene.com or by calling 301.340.3188 option 3 for pricing and delivery.

The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. [More info](#)

OTI Annotation: This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.

- Components:** The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
- Reconstitution Method:**
1. Centrifuge at 5,000xg for 5min.
 2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.
 3. Close the tube and incubate for 10 minutes at room temperature.
 4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.
 5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
- RefSeq:** [NM_001278784.2](#)
- RefSeq Size:** 1596 bp
- RefSeq ORF:** 768 bp
- Locus ID:** 10237
- Cytogenetics:** 17q21.33
- Protein Families:** Transmembrane
- MW:** 28.6 kDa
- Gene Summary:** This gene encodes a nucleotide sugar transporter which is a member of solute carrier family 35. The transporters in this family are highly conserved hydrophobic proteins with multiple transmembrane domains. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq, Jul 2013]

Product images:



Circular map for RC236977