

Product datasheet for **RC237298**

PGAP3 (NM_001291728) Human Tagged ORF Clone

Product data:

Product Type: Expression Plasmids
Product Name: PGAP3 (NM_001291728) Human Tagged ORF Clone
Tag: Myc-DDK
Symbol: PGAP3
Synonyms: AGLA546; CAB2; hCOS16; PERLD1; PP1498
Vector: pCMV6-Entry (PS100001)
E. coli Selection: Kanamycin (25 ug/mL)
Cell Selection: Neomycin
ORF Nucleotide Sequence: >RC237298 representing NM_001291728
Red=Cloning site Blue=ORF Green=Tags(s)

TTTTGTAATACGACTCACTATAGGGCGGCCGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC
GCC**CGGATCGCC**

ATGGCCGGCCTGGCGGCGGGTGGTCTGCTAGCTGGGGCAGCGGCGCTGGCGAGCGGCTCCCAGGGCG
ACCGTGAGCCGGTGTACCGGACTGCGTACTGCAGTGCAGAGAGCAGAACTGCTCTGGGGCGCTCTGAA
TCACTTCCGCTCCCGCCAGCCAATCTACATGAGTCTAGCAGGCTGGACCTGTCGGGACGACTGTAAGTAT
GAGTGTATGTGGGTCACCGTTGGGCTCTACCTCCAGGAAGGTCACAAAGTGCCTCAGTTCCATGGCAAGT
GGCCCTTCTCCCGGTTCCCTGTTCTTTCAAGAGCCGGCATCGGCCGTGGCCTCGTTTCTCAATGGCCTGGC
CAGCCTGGTGATGCTCTGCCGCTACCGCACCTTCGTGCCAGCCTCCTCCCCATGTACCACACCTGTGTG
GCCTTCGCCTGGAAAATGGACTACTTCTGTGCCTCCACTGTATCCTACACTCAATCTACCTGTGCTGCG
TCAGGACCGTGGGGCTGCAGCACCCAGCTGTGGTCACTGCCTCCGGGCTCTCCTGCTGCTCATGCTGAC
CGTGCACGTCTCCTACCTGAGCCTCATCCGTTTCGACTATGGCTACAACCTGGTGCCAACTGGCTATT
GGCCTGGTCAACGTGGTGTGGTGGCTGGCCTGGTGCCTGTGGAACCAGCGGGCTGCCTCACGTGCGCA
AGTGCCTGGTGGTGGTCTTGTGCTGCAGGGGCTGCCCTGCTCGAGCTGCTTACTTCCACCGCTCTT
CTGGGTCCTGGATGCCCATGCCATCTGGCACATCAGACCATCCCTGTCCACGTCCTCTTTTTCAGCTTT
CTGGAAGATGACAGCCTGTACCTGCTGAAGGAATCAGAGGACAAGTTCAAGCTGGAC

ACGCGTACGCGGCCGCTCGAGCAGAACTCATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

Protein Sequence: >RC237298 representing NM_001291728
 Red=Cloning site Green=Tags(s)


MAGLAARLVLLAGAAALASGSQGDREPVYRDCVLQCEEQNCSGGALNHFRSRQPIYMSLAGWTCRDDCKY
 ECMWVTVGLYLQEGHKVPQFHGKWPFSRFLFFQEPASAVASFLNGLASL VMLCRYRTFVPASSPMYHTCV
 AFAWKMDYFCASTVILHSIYLCCVRTVGLQHPAVVSAFRALLLMLTVHVSYLSLIRFDYGNLVANVAI
 GLVNVVWWLAWCLWNQRRPLPHVRKCVVVVLLLQGLSLELLDFPPLFWVLDAHAIIWHISTIPVHVLFFSF
 LEDDSLYLLKESEDKFKLD

TRTRPLEQKLISEEDLAANDILDYKDDDDKV


Restriction Sites:

Sgfl-MluI

Cloning Scheme:



Plasmid Map:



ACCN: NM_001291728

ORF Size: 897 bp

OTI Disclaimer:	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. More info
OTI Annotation:	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
Components:	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
Reconstitution Method:	<ol style="list-style-type: none">1. Centrifuge at 5,000xg for 5min.2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.3. Close the tube and incubate for 10 minutes at room temperature.4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.
RefSeq:	NM_001291728.1 , NP_001278657.1
RefSeq Size:	2658 bp
RefSeq ORF:	900 bp
Locus ID:	93210
UniProt ID:	Q96FM1
Cytogenetics:	17q12
Protein Families:	Transmembrane
MW:	34.4 kDa
Gene Summary:	This gene encodes a glycosylphosphatidylinositol (GPI)-specific phospholipase that primarily localizes to the Golgi apparatus. This ubiquitously expressed gene is predicted to encode a seven-transmembrane protein that removes unsaturated fatty acids from the sn-2 position of GPI. The remodeling of the constituent fatty acids on GPI is thought to be important for the proper association between GPI-anchored proteins and lipid rafts. The tethering of proteins to plasma membranes via posttranslational GPI-anchoring is thought to play a role in protein sorting and trafficking. Mutations in this gene cause an autosomal recessive form of neurologic hyperphosphatasia with cognitive disability (HPMRS4). Alternative splicing results in multiple transcript variants encoding distinct isoforms. [provided by RefSeq, Jul 2017]