

## Product datasheet for **RC237381**

### **CGK2 (PRKG2) (NM\_001282482) Human Tagged ORF Clone**

#### Product data:

**Product Type:** Expression Plasmids  
**Product Name:** CGK2 (PRKG2) (NM\_001282482) Human Tagged ORF Clone  
**Tag:** Myc-DDK  
**Symbol:** PRKG2  
**Synonyms:** cGK2; cGKII; PKG2; PRKGR2  
**Vector:** pCMV6-Entry (PS100001)  
**E. coli Selection:** Kanamycin (25 ug/mL)  
**Cell Selection:** Neomycin  
**ORF Nucleotide Sequence:** >RC237381 representing NM\_001282482  
**Red=Cloning site Blue=ORF Green=Tags(s)**

TTTTGTAATACGACTCACTATAGGGCGCCGGGAATTCGTCGACTGGATCCGGTACCGAGGAGATCTGCC  
GCC**CGGATCGCC**

ATGTCTAACTGGAAGCTGTCCAAAGCACTCTCTGGAATGATTGAGCTGAAGGAGAAGGTTAAAGTAA  
AAAATGAGAATGTTGCTTTTGTATGAAGTGATAAGGAAGAAGCACATAGTTGACACCAAGCAGCAGGA  
GCATGTCTACTCAGAGAAGAGGATCCTAGAGGAGCTGTGCTCTCCATTCATTGTGAAATTATATCGTACT  
TTCAAGGACAATAAGTATGTATACATGCTTCTGGAGGCCTGCTTAGGTGGGGAGCTCTGGAGTATATTAA  
GGGACAGAGGCAGCTTTGATGAACCCACCTCCAATTCTGCGTTGCTTGTGTGACAGAAGCATTTGATTA  
CCTGCATCGACTAGGTATTATCTACAGAGACTTGAACCAGAAAACCTAATTCTAGATGCTGAGGGTTAC  
CTTAAATTGGTTGACTTTGGATTTGCGAAGAAAATAGGGTCTGGACAGAAAACATGGACATTCTGTGGGA  
CTCCAGAATATGTAGCTCCTGAAGTATTCTCAACAAGGGACATGACTTCAGTGTGGATTCTGGTCACT  
GGGAATTCTAGTGTATGAGCTCCTAACGGGCAACCCACCCTTTTCTGGGGTTGACCAAATGATGACCTAC  
AATTTGATTCTCAAAGGAATTGAAAAATGGATTTTCCAGGAAGATAACACGACGACCTGAGGATTTGA  
TTCCGAGGCTTTGCAGGCAAAATCCAACAGAAAGGCTGGGAAATCTGAAGAATGGAATAAATGACATTA  
GAAACACAGGTGGTTAAATGGTTTTAATTGGGAGGGACTGAAAGCACGGAGCCTTCCATCACCTTTGCAA  
AGAGAGCTCAAGGGACCCATAGATCACAGCTACTTTGACAAATATCCTCCTGAAAAGGGAATGCCTCCAG  
ATGAGCTATCAGGCTGGGATAAAGACTTC

**ACGCGT**ACGCGGCCGCTCGAGCAGAAAACATCTCAGAAGAGGATCTGGCAGCAAATGATATCCTGGATT  
ACAAGGATGACGACGATAAGGTTTAA



[View online »](#)

**Protein Sequence:** >RC237381 representing NM\_001282482  
 Red=Cloning site Green=Tags(s)

MSNWKLSKALSLEMIQLKEKVKVKNENAFAMKCIKKKHIVDTKQQEHVYSEKRILEELCSPIVFKLYRT  
 FKDNKYVYMLLEACLGGELWSILRDRGSFDEPTSKFCVACVTEAFDYHLHRLGIIYRDLKPENLILDAEGY  
 LKLVDFGFAGKIGSGQKTWTFCTPEYVAPEVILNKGHDFSVDFWSLGIIVYELLTGNPPFSGVDQMMTY  
 NLILKGIEMDFPRKITRRPEDLIRRLCRQNPTERLGNLKNKINDIKKHRWLNNGFNWEGLKARSLPSPLQ  
 RELKGPIDHSYFDKYPPEKGMPPDELSGWDKDF


TRTRPLEQKLISEEDLAANDILDYKDDDDKV

**Restriction Sites:** Sgfl-MluI

**Cloning Scheme:**



**Plasmid Map:**



**ACCN:** NM\_001282482

**ORF Size:** 939 bp

<b>OTI Disclaimer:</b>	The molecular sequence of this clone aligns with the gene accession number as a point of reference only. However, individual transcript sequences of the same gene can differ through naturally occurring variations (e.g. polymorphisms), each with its own valid existence. This clone is substantially in agreement with the reference, but a complete review of all prevailing variants is recommended prior to use. <a href="#">More info</a>
<b>OTI Annotation:</b>	This clone was engineered to express the complete ORF with an expression tag. Expression varies depending on the nature of the gene.
<b>Components:</b>	The ORF clone is ion-exchange column purified and shipped in a 2D barcoded Matrix tube containing 10ug of transfection-ready, dried plasmid DNA (reconstitute with 100 ul of water).
<b>Reconstitution Method:</b>	<ol style="list-style-type: none"><li>1. Centrifuge at 5,000xg for 5min.</li><li>2. Carefully open the tube and add 100ul of sterile water to dissolve the DNA.</li><li>3. Close the tube and incubate for 10 minutes at room temperature.</li><li>4. Briefly vortex the tube and then do a quick spin (less than 5000xg) to concentrate the liquid at the bottom.</li><li>5. Store the suspended plasmid at -20°C. The DNA is stable for at least one year from date of shipping when stored at -20°C.</li></ol>
<b>RefSeq:</b>	<a href="#">NM_001282482.1</a> , <a href="#">NP_001269411.1</a>
<b>RefSeq Size:</b>	3684 bp
<b>RefSeq ORF:</b>	942 bp
<b>Locus ID:</b>	5593
<b>UniProt ID:</b>	<a href="#">Q13237</a>
<b>Cytogenetics:</b>	4q21.21
<b>Protein Families:</b>	Druggable Genome, Protein Kinase
<b>Protein Pathways:</b>	Gap junction, Long-term depression, Olfactory transduction
<b>MW:</b>	36.9 kDa
<b>Gene Summary:</b>	This gene encodes a protein that belongs to the serine/threonine protein kinase family of proteins. The encoded protein binds to and inhibits the activation of several receptor tyrosine kinases. The membrane-bound protein is a regulator of intestinal secretion, bone growth and renin secretion. Alternate splicing results in multiple transcript variants encoding distinct isoforms whose regulatory N-termini differ in length but whose C-terminal catalytic domains are identical. [provided by RefSeq, May 2018]